

Subject Index to Volume 5

- Absorption:** *see* specific subject and site
- Acetazolamide**
 bicarbonate reabsorption, proximal tubule, F58
t-butyl, bicarbonate reabsorption, proximal tubule, F58
 ionic requirements, proximal tubular sodium transport, F268
- Acid-base balance**
 amiloride and, F48
 arterial carbon dioxide pressure and, F30
 fluoride tissue distribution, F141
 parathyroid hormone effects, proximal tubules, F387
- Acid-base nomograms**
 arterial carbon dioxide pressure and, F30
- Acidification**
 distal, hypothyroidism and, F536
 renal, amiloride and, F48
 renal, mineralocorticoids and, F48
 renal, potassium deprivation, F48
 renal tubular, sodium and, F434
- Acidosis**
 metabolic, mineralocorticoid deficiency, renal, F283
 metabolic, pH, intracellular, liver, F240
 metabolic, sodium bicarbonate and sodium chloride reabsorption coupling, renal, F232
 renal, hyperkalemia, F283
 renal, mineralocorticoid deficiency, F283
 renal, sodium chloride depletion, F283
 renal tubular, mineralocorticoid deficiency, F283
 respiratory, intracellular pH, liver, F240
- Active transport:** *see* specific subject and site
- Adenosine monophosphate, cyclic**
 permeability, proximal tubule, F71
- Adenosine triphosphatase:** *see* Sodium-potassium-ATPase
- Adrenal artery**
 P-113 infusion, aldosterone secretion and (sheep), F333
- Adrenal glands**
 autotransplant, aldosterone secretion (sheep), F333
 mineralocorticoid deficiency acidosis, renal, F283
- β -Adrenergic activity**
 renin secretion, prostaglandins and, F472
- Afferent arterioles:** *see* Arterioles
- Agonists:** *see* specific subject
- Air-water interface**
 denaturation in vitro (rat, dog, pig), F501
- Alanine**
 temperature-dependent potentials, proximal tubules, F302
- Aldosterone**
 concentration, plasma, converting enzyme inhibitor in high output failure, F541
 deficiency, renal acidosis and, F283
 mineralocorticoid deficiency renal acidosis, F283
 secretion, P113 infusion, adrenal arterial (sheep), F333
 secretion, sodium deficiency (sheep), F333
- Alkalinization**
 urine, phosphate excretion and, F184
- Alkalosis**
 metabolic, intracellular pH, liver, F240
 metabolic, renal acidification, F48
 mineralocorticoid, amiloride attenuation, F48
 respiratory, intracellular pH, liver, F240
- Amiloride**
 acid excretion, renal, F48
 carbon dioxide and oxygen fluxes, bladder epithelia (toad), F413
 mineralocorticoid alkalosis, attenuation, F48
- Amino acid**
 absorption, nephron, F163
 absorption, proximal convoluted and straight tubules, F149
 content, incubated renal cortex slices, F398
 developmental, renal cortex, F398
 pools, kidney slices, F398
- p*-Aminohippurate**
 secretion, renal (*Necturus*), F442
 transport, inhibitors, renal tubules (garter snake), F379
 transport, sodium-potassium-ATPase activity, renal, F126
- α -Aminoisobutyric acid**
 absorption, proximal tubules, F149
- Ammonia**
 production, mineralocorticoid deficiency acidosis, renal, F283
- Ammoniogenesis**
 amiloride and, renal, F48
- Amphotericin B**
 glucose and sodium ion reabsorption, dissociation, proximal tubules (*Necturus*), F392
- Angiotensin:** *see also* Renin-angiotensin system
 blockade, high output failure, F541
 renal tubular handling, mechanism, F365
- Angiotensin I**
 hydrolysis, renal tubular, F365
- Angiotensin II**
 aldosterone secretion, in sodium deficiency (sheep), F333
 angiotensin III and, intrarenal role, F252
 blood flow, renal cortical and medullary, laser-Doppler spectroscopy, F80
 [des-Asp¹]angiotensin II and, intrarenal role, F252
 hydrolysis, renal tubular, F365
 [Sar¹, Ala⁸]angiotensin II: *see* Angiotensin antagonists
 vasoconstrictor-vasodilator interactions, intrarenal, in ureteral obstruction, F131
- Angiotensin III**
 aldosterone secretion, in sodium deficiency (sheep), F333
- Angiotensin antagonists**
 P-113, aldosterone secretion in sodium deficiency (sheep), F333
- Angiotensin-converting enzyme:** *see* Converting enzyme
- Anions**
 axial, asymmetry, isotonic fluid transport, proximal tubule, F89
 substitution, proximal tubular sodium transport, F268
- Antidiuretic hormone:** *see also* Vasopressin
 action, microtubules and microfilaments, bladder (toad), F14
 Aortic-caval fistula: *see* Fistula
- Arginine vasopressin:** *see* Vasopressin
- Arterial pressure:** *see* Pressure
- Arterioles**
 afferent, glomerular filtration, feedback control, F40
 efferent, angiotensin II and III, effects, renal, F252
 efferent, resistance, glomerular dynamics, F25
 renal, resistance, maturational development, F465
- Ascites**
 converting enzyme inhibitor, F541
- Atomic absorption**
 potassium secretion and, distal tubule, F192
- ATPase:** *see* Sodium-potassium-ATPase
- Autoregulation, renal**
 angiotensin II and III, role, F252
 glomerular filtration rate, intrarenal renin and, F559
 plasma flow, intrarenal renin and, F559
 spontaneous hypertension, F246
- Axial anion asymmetry:** *see* Anions
- Baroreceptors:** *see* Receptors
- Benzolamide**
 blood flow, renal, F494
 prostaglandin E excretion, F494
- Bicarbonate:** *see also* Sodium bicarbonate
 absorption, parathyroid hormone effects, proximal tubules, F387
 formation, oxygen tension and, cerebrospinal fluid, F220
 plasma, arterial carbon dioxide pressure, natural variations, effects, F30
 reabsorption, carbonic anhydrase-dependent, proximal tubule, F58
 reabsorption, renal, impaired, in hypothyroidism, F536
 reabsorption, renal tubular acidification kinetics, F434
 renal acidification and, F48
 transport, parathyroid hormone effects, proximal tubules, F387
- Biological transport:** *see* specific subject and site
- Bladder:** *see* Urinary bladder
- Blockade**
 converting enzyme, renovascular hypertension, F21
- Blood constituents:** *see* specific subject and site
- Blood flow:** *see also* Flow
- Blood flow, renal**
 cortical, measurement by laser-Doppler spectroscopy, F80
 diuretic-induced changes, F494
 glomerular filtration, feedback control, F40
 medullary, measurement by laser-Doppler spectroscopy, F80
 papillary, spontaneous hypertension, progression, F36
 perfusion pressure (sheep), F546
 prostaglandin E₂ secretion and excretion, F552
 spontaneous hypertension, F246
- Blood gases:** *see* Gas, or the specific gas
- Blood pressure:** *see also* Pressure
 oncotic, needle-type colloid osmometer, F419

Blood sample
 flow-through, needle-type colloid osmometer, F419
 Bohr effect
 cerebrospinal fluid, arterial and cisternal, F220
 Brush border: *see* Kidney
t-Butyl acetazolamide: *see* Acetazolamide

Calcium: *see also* Sodium-calcium exchange
 cytosolic, sodium transport regulation, bladder (toad), F505
 excretion, urinary, parathyroid hormone and 1,25-dihydroxyvitamin D₃ effects, F349
 infusion, renal handling, F349
 metabolism, parathyroid hormone and, F311
 permeability, Henle's loop, F357
 renal handling, 1,25-dihydroxyvitamin D₃ effects, F349
 renal handling, parathyroid hormone effects, F349
 transport, parathyroid hormone effects, nephron, F342
 transport, voltage dependence, thick ascending limb of Henle's loop, F357
 ultrafiltrable plasma, renal handling, F349

Capillaries
 microperfusion, tubuloglomerular feedback and, F97
 oncotic pressure: *see* Pressure
 peritubular, proximal tubule reabsorption, F478
 Capillary fluid: *see* Fluid
 Capillary pressure: *see* Pressure

Carbon dioxide
 concentration, total, parathyroid hormone effects, proximal tubules, F387
 fluxes, voltage-clamped bladder epithelia, mass spectrometry (toad), F413
 pressure, arterial, normal variations, effects on plasma bicarbonate, F30
 reabsorption, total, proximal tubule, F58
 tension, sodium bicarbonate and sodium chloride reabsorption, coupling, renal, F232

Carbonic anhydrase
 bicarbonate reabsorption, proximal tubule, F58

Cardiac glycosides: *see* Glycosides

Cardiac output
 failure, converting enzyme inhibitor SQ 14,225, F541

Cations
 intracellular, *p*-aminohippurate and sodium-potassium-ATPase activity, renal, F126
 transport, renal tubules, F112

Cell membranes
 permeability: *see* Permeability

Cells: *see* specific type or site

Cerebrospinal fluid: *see* Fluid

Chloride
 absorption, epithelial tissues, F1
 concentration gradient, proximal tubular sodium transport and, F268
 potassium secretion and, distal tubule, F192
 secretion, electrogenic, epithelial tissues, F1

transport, renal, amiloride and, F48
 transport, sodium-coupled, epithelial tissues, F1

8-[*p*-Chlorophenylthio]cyclic AMP
 proximal tubule permeability, F71

Chlorothiazide
 blood flow, renal, F494
 prostaglandin E excretion, F494

Choline
 transport, bidirectional, renal tubules, F112

Choroid plexus
 cerebrospinal fluid oxygen tension and, F220

Colchicine
 microtubules and microfilaments, roles in antidiuretic hormone action, bladder (toad), F14

Collecting ducts or tubules: *see* Kidney tubules, collecting

Colloid osmometer: *see* Osmometer

Colloid osmotic pressure: *see* Pressure

Comparative physiology: *see* Species differences

Conductance
 hydraulic, isotonic proximal tubular fluid absorption, F89

Converting enzyme
 blockade, renovascular hypertension, F21
 inhibition, intrarenal, role of angiotensin II and III, F252

Converting enzyme inhibitor
 SQ 14,225, high output failure, F541
 SQ 14,225, renovascular hypertension, F21

Coupling
 luminal sodium ion entry, proximal tubule cells (*Necturus*), F295
 metabolism and function, renal, F423
 sodium bicarbonate and sodium chloride reabsorption, renal, during changes in plasma carbon dioxide tension, F232

Cyanide
 ionic requirements, proximal tubular sodium transport, F268

Cyclamate
 ionic requirements, proximal tubular sodium transport, F268

Cyclic AMP: *see* Adenosine monophosphate, cyclic

Cycloheximide
 amino acid content, incubated renal cortex slices, F398

Cytochalasin B
 microtubules and microfilaments, roles in antidiuretic hormone action, bladder (toad), F14

Cytoplasmic redox state: *see* Oxidation-reduction

Cytosolic calcium: *see* Calcium

Denaturation
 air-water interface, in vitro experiments (rat, dog, pig), F501
 renin, in vitro experiments (rat, dog, pig), F501

Deoxycorticosterone acetate
 acidification, renal, F48
 autoregulatory responses, renal, F559

1-Desamino-8-D-arginine vasopressin: *see* Vasopressin

[Des-Asp¹]angiotensin II: *see* Angiotensin II; *see also* Angiotensin III

Development

maturation, glomerular ultrafiltration, F465

Diffusion
 nonionic, fluoride tissue distribution, F141
 resistance, isotonic fluid absorption and, proximal tubule, F89

1,25-Dihydroxyvitamin D₃
 calcium handling, renal, F349

Dimethadione
 intracellular pH, liver, in alkalosis and acidosis, F240

Disodium ethane-1-hydroxy-1,1-diphosphate
 calcium handling, renal, F349

Diuresis
 osmotic, renal papillary function, F423
 postobstructive, weanling, F260
 water, blood flow and, renal, F494
 water, prostaglandin E excretion and, F494

Diuretics
 blood flow changes, renal, F494
 prostaglandin E excretion, F494

Edema
 converting enzyme inhibitor and, F541

Effective luminal hypotonicity: *see* Hypotonicity

Effector mechanism
 glomerular filtration, feedback control, F40

Efferent arterioles: *see* Arterioles

Efferent vessels
 glomerular filtration, feedback control, F40
 plasma composition, renal tubular reabsorbate effects, F119

Electrochemical gradients
 sodium transport, active, bladder (toad), F405

Electrodes, oxygen: *see* Oxygen electrodes

Electrogenic chloride secretion: *see* Chloride

Electrolytes
 excretion, arginine vasopressin effects, F66
 plasma, arterial carbon dioxide pressure and, F30
 renal tubular cells, F226
 transport, parathyroid hormone effects, nephron, F342
 transport, vanadium and, renal, F530

Electromotive force
 sodium pump, bladder (toad), F405

Electron probe
 urinary concentrating mechanism (desert rodent), F448

Enzymatic radiochemical assay
 choline, bidirectional renal tubular transport, F112

Enzyme
 angiotensin-converting: *see* Converting enzyme

Epithelial tissues
 chloride transport, sodium-coupled, F1
 co-transport processes, F1

Epithelium: *see also* specific subject and site
 voltage-clamped, for measurement of oxygen consumption (frog, toad), F206

Ethacrynic acid
 blood flow, renal, F494
 coupling of sodium bicarbonate and sodium chloride reabsorption, renal,

- F232
 prostaglandin E excretion, F494
 Excretion: *see* specific subject and site
 Extracellular fluid
 volume expansion: *see* Volume expansion
- F**eedback
 glomerular filtration rate, site of effector mechanism, F40
 juxtaglomerular apparatus, capillary oncotic pressure, F97
 negative, sodium transport, bladder (toad), F505
 tubuloglomerular, capillary oncotic pressure, F97
- Filtration: *see also* Ultrafiltration
 coefficient, maturational development, F465
 fraction, feedback control, F40
 pressure equilibrium, reduced renal artery pressure, F25
- Filtration, glomerular
 angiotensin II and III, role, F252
 autoregulation, renin and, F559
 feedback control, site of effector mechanism, F40
 maturational development, F465
 plasma carbon dioxide tension, F232
 renal perfusion pressure (sheep), F546
 sodium bicarbonate and sodium chloride reabsorption coupling, renal, F232
 spontaneous hypertension, F246
 temperature-dependent potentials, proximal tubules, F302
 triiodothyronine, time course, F9
- Fistula, aortic-caval
 converting enzyme inhibitor, SQ 14,225, F541
 high output failure, F541
- Flow: *see also* Blood flow; Fluid; Plasma flow
- Flow dependence
 nonelectrolyte absorption, nephron, F163
- Flow rate
 tubular, reabsorption and, F488
- Fluid
 capillary exchange, proximal tubule, F478
 cerebrospinal, arterial and cisternal oxygen tension, relations, F220
 extracellular, volume expansion: *see* Volume expansion
 flow rate: *see also* Flow
 flow rate, potassium secretion and, distal tubule, F192
 isotonic, proximal tubular absorption, luminal hypotonicity and, F89
- Fluoride
 distribution, tissue, short-term kinetics, F141
 metabolism, tissue, F141
 pharmacokinetics, tissue, F141
 toxicity, tissue, F141
- Force
 electromotive, sodium pump, bladder (toad), F405
 physical, reabsorption, proximal tubule, model, F478
- Furosemide
 blood flow, renal, F494
 prostaglandin E excretion, F494
- G**as
 blood, plasma bicarbonate and, F30
- Genetic hypertension: *see* Hypertension
- Glomerular dynamics
 maturational development, F465
 renal artery pressure, reduced, F25
- Glomerular filtration: *see* Filtration
- Glomerular pores
 size, flexible polymer probes, F103
 Stokes radius, F103
- Glomerular pressure
 maturational development, F465
- Glomerular ultrafiltration: *see* Ultrafiltration
- Glomerulotubular balance
 nonelectrolyte absorption and, F163
 plasma carbon dioxide tension and, F232
 reabsorption, proximal tubular, during volume expansion, F488
 sodium bicarbonate and sodium chloride reabsorption coupling, renal, F232
- Glomerulus
 ureteral obstruction and, F131
- Glucose
 loading, subthreshold, normal and uremic kidney, F567
 sodium ions and, reabsorption, dissociation by amphotericin B, proximal tubules (*Necturus*), F392
 temperature-dependent potentials, proximal tubules, F302
 transport, volume expansion effects, renal, normal and uremia, F567
- D-Glucose
 urate absorption, proximal tubule, F526
- Glycine
 absorption, proximal tubules, F149
- Glycolysis
 renal papilla, F423
- Glycosides
 cardiac, potassium transport and, perfused kidney (bullfrog), F175
- Glycosuria
 volume expansion effects, renal, F567
- H**avy metals: *see* Metals
- Hemodynamics
 nephron, spontaneous hypertension, F246
- Hemodynamics, renal
 laser-Doppler spectroscopy, F80
 spontaneous hypertension, F246
 ureteral obstruction, F131
- Henle's loop
 juxtamedullary descending limb, urinary concentrating mechanism (desert rodent), F448
 thick ascending limb, calcium transport, voltage dependence, F357
- Hydraulic conductance: *see* Conductance
- Hydrogen
 sodium and, antiport, renal tubular acidification, F434
- Hydrogen ion concentration: *see* pH
- Hydrogen ions
 secretion, mineralocorticoid deficiency acidosis, F283
 transport, renal tubular acidification, F434
- Hydrolysis: *see* specific subject and site
- Hydrostatic pressure: *see* Pressure
- Hypercapnia
 sodium bicarbonate and sodium chloride reabsorption coupling, renal, F232
- Hyperkalemia
 renal acidosis and, F283
- Hyperparathyroidism
 bicarbonate absorption, proximal tubules, F387
- Hypertension
 angiotensin-dependent phase, converting enzyme blockade, F21
 genetic, renal and nephron hemodynamics, F246
 one-kidney, converting enzyme blockade, F21
 renovascular, converting enzyme blockade, F21
- Hypertension, spontaneous
 hemodynamics, nephron, F246
 hemodynamics, renal, F246
 progression, renal papillary blood flow, F36
- Hypoadosteronism
 mineralocorticoid deficiency acidosis, renal, F283
- Hypocapnia
 sodium bicarbonate and sodium chloride reabsorption coupling, renal, F232
- Hypokalemia
 acidification, renal, F48
- Hyponatremia
 cell volume regulation, renal tubules, F226
- Hypothalamic osmoreceptor: *see* Receptors
- Hypothyroidism
 bicarbonate reabsorption, renal, impaired, F536
- Hypotonic medium
 tubular cell volume regulation, F226
- Hypotonicity
 effective luminal, driving force for isotonic proximal tubular fluid absorption, F89
- I**mmunoassay
 vasopressin release, osmotic and nonosmotic control, F321
- Indomethacin
 prostaglandin E₂ secretion and excretion, renal, F552
 renin secretion, prostaglandins and, F472
- Instrumentation: *see* specific subject and site; *see also* Models
- Interstitial pressure: *see* Pressure
- Ion-exchanger microelectrode: *see* Microelectrode
- Ionic requirements
 sodium transport, proximal tubule, F268
- Isoproterenol
 renin secretion, prostaglandins and, F472
- Isotonic fluid: *see* Fluid
- J**uxtaglomerular apparatus
 feedback: *see* Feedback
- Juxtamedullary descending limb of Henle's loop: *see* Henle's loop
- Juxtamedullary nephrons: *see* Nephron
- K**aliuresis
 arginine vasopressin and, F66
- Kidney
 acid excretory effect of mineralocorticoid, potassium ion deprivation and, F48
 acidification: *see* Acidification
 acidosis: *see* Acidosis

Kidney (continued)

- ammoniogenesis: *see* Ammoniogenesis;
 - Ammonia production
 - angiotensins: *see* Angiotensin
 - arterioles: *see* Arterioles
 - autoregulation: *see* Autoregulation
 - bicarbonate: *see* Bicarbonate
 - blood flow: *see* Blood flow
 - brush border, isolated microvilli, angiotensin and, F365
 - brush border, membrane vesicles, uric acid transport, F519
 - brush border, peptide hydrolysis, F365
 - calcium: *see* Calcium
 - chloride: *see* Chloride
 - coupling, metabolism and function, F423
 - coupling, sodium bicarbonate and sodium chloride reabsorption, F232
 - electrolytes: *see* Electrolytes
 - function, ureteral obstruction, weanling, F260
 - heavy metals, F373
 - hemodynamics: *see* Hemodynamics
 - lead transport, trace elements, F373
 - lead uptake, inhibition by tin, F373
 - mass, reduction, response of deep nephrons and collecting duct, F448
 - oxygen: *see* Oxygen
 - perfused, potassium transport, ouabain effects (bullfrog), F175
 - perfusion pressure, renin secretion, dynamic (sheep), F546
 - permeability, linear nonequilibrium thermodynamics, F211
 - phenol red excretion (*Necturus*), F442
 - physiology, linear nonequilibrium thermodynamics, F211
 - plasma flow: *see* Plasma flow
 - prostaglandin E₂, secretion and excretion, F552
 - remnant, deep nephron and collecting duct function, F454
 - renin: *see* Renin
 - sodium: *see* Sodium
 - sympathectomy, sodium handling, F513
 - transport, linear nonequilibrium thermodynamics, F211
 - triiodothyronine effects, time course, F9
 - uric acid transport, brush border membrane vesicles, F519
 - vascular resistance: *see* Resistance
 - vasoconstrictor-vasodilator interactions, in ureteral obstruction, F131
- Kidney cells**
- membrane permeability, amphotericin B effects (*Necturus*), F392
 - potassium transport, ouabain effects (bullfrog), F175
 - proximal tubule, luminal sodium ion entry (*Necturus*), F295
 - tubular, volume, regulation in hypotonic medium, F226
- Kidney cortex**
- amino acid content, F398
 - p*-aminohippurate transport and sodium-potassium-ATPase activity, relationship, F126
 - blood flow: *see* Blood flow
 - glucose and sodium ions, reabsorption, dissociation by amphotericin B (*Necturus*), F392
 - sodium-potassium-ATPase activity, time response, F9
- Kidney medulla**
- blood flow: *see* Blood flow

Kidney papilla

- coupling of function and anaerobic pattern of metabolism, F423
 - perfusion rate, spontaneous hypertension, F36
 - plasma flow, spontaneous hypertension, F36
- Kidney tubules**
- acidification kinetics, sodium and, F434
 - acidosis: *see* Acidosis
 - p*-aminohippurate transport, luminal, inhibitors (garter snake), F379
 - angiotensin handling, mechanism, F365
 - calcium transport, voltage dependence, F357
 - choline transport, bidirectional, F112
 - phenol red excretion (*Necturus*), F442
 - pressure, ureteral obstruction and, F131
 - urate transport, luminal, inhibitors (garter snake), F379
- Kidney tubules, collecting**
- function, in ureteral obstruction, weanling, F260
 - medullary, potassium secretion, F278
 - renal mass reduction, effects, F454
- Kidney tubules, distal**
- acidification, hypothyroidism and, F536
 - choline transport, bidirectional, F112
 - electrolyte transport, parathyroid hormone effects, F342
 - glucose transport, volume expansion effects, F567
 - potassium secretion, luminal influences, F192
- Kidney tubules, proximal**
- bicarbonate reabsorption, carbonic anhydrase-dependent, F58
 - cell volume, regulation, in hypotonic medium, F226
 - choline transport, bidirectional, F112
 - coupled transport, F526
 - electrolyte transport, parathyroid hormone effects, F342
 - epithelial transport, F478
 - glucose-sodium ion reabsorption, dissociation by amphotericin B (*Necturus*), F392
 - glucose transport, volume expansion effects, F567
 - intercellular space, reabsorption and, F478
 - isotonic fluid absorption, effective luminal hypotonicity and, F89
 - luminal sodium ion entry into cells (*Necturus*), F295
 - permeability, cyclic AMP and, F71
 - potentials, transepithelial, temperature dependence, F302
 - reabsorption, delivery during volume expansion, F488
 - reabsorption, peritubular capillary control, F478
 - sodium handling after sympathectomy, F513
 - sodium transport, ionic requirements, F268
 - sodium transport, regulation (toad), F505
 - sodium transport, selective luminal anion substitution, F268
 - solute gradients, efferent vessel plasma and, F119
 - subcellular fractions, glucose and sodium ions, reabsorption (*Necturus*), F392
 - urate absorption, F526
 - volume absorption, nonelectrolytes, F163

- Kidney tubules, proximal convoluted**
- amino acid absorption, F149
- bicarbonate absorption, parathyroid hormone effects, F387
- early and late convolutions, reabsorbate, effects on efferent vessel plasma composition, F119
- permeability, cyclic AMP effects, F71
- urate absorption, D-glucose effects, F526
- urate absorption, probenecid effects, F526
- Kidney tubules, proximal straight**
- amino acid absorption, F149
- bicarbonate absorption, parathyroid hormone effects, F387

- Lactate dehydrogenase**
- metabolism, renal papilla, F423
- Laser-Doppler spectroscopy**
- renal cortical and medullary blood flow measurement, F80
- Lead**
- transport, renal slices, inhibition by tin, F373
- Linear nonequilibrium thermodynamics:**
- see* Thermodynamics
- Liver**
- pH, intracellular, in acute acidosis and alkalosis, F240
- Loading**
- glucose: *see* Glucose
- sodium ions, filtered, renal, F9
- Loop of Henle: *see* Henle's loop
- Luminal hypotonicity: *see* Hypotonicity

- Macula densa**
- renin secretion, dynamic changes in renal perfusion pressure (sheep), F546
- Magnesium**
- transport, parathyroid hormone effects, nephron, F342
- Mass spectrometry: *see* Spectrometry**
- Maturation development: *see* Development**
- Meclofenamate**
- prostaglandin E₂ secretion and excretion, renal, F552
- Medullary collecting duct: *see* Kidney tubules, collecting**
- Membrane**
- bladder, function and structure (toad), F14
- Membrane vesicles**
- brush border, uric acid transport, renal, F519
- Metabolic acidosis: *see* Acidosis**
- Metabolic alkalosis: *see* Alkalosis**
- Metabolism: *see also* specific subject and site**
- anaerobic, and function, coupling, renal papilla, F423
- oxidative: *see* Oxidative metabolism
- Metals**
- heavy, renal, F373
- α -Methyl-D-glucoside**
- tubular reabsorbate effects on efferent vessel plasma composition, F119
- Microcalorimetry**
- bicarbonate reabsorption, proximal tubule, F58
- Microcatheterization**
- potassium secretion, inner medullary collecting duct, F278

- Microelectrode**
liquid ion-exchanger, sodium ions, proximal tubule cells (*Necturus*), F295
- Microfilaments**
antidiuretic hormone action, bladder (toad), F14
- Microperfusion**
angiotensin, nephron segments, F365
capillary, tubuloglomerular feedback, F97
ionic requirements, proximal tubular sodium transport, F268
permeability, proximal tubule, cyclic AMP effects, F71
potassium secretion, luminal influences, F192
urate absorption, proximal tubule, F526
- Micropuncture**
bicarbonate reabsorption, proximal tubule, F58
choline transport, bidirectional, renal tubules, F112
glomerular filtration, feedback control, F40
glucose transport, renal, volume expansion effects, F567
sodium handling, renal, after sympathectomy, F513
- Microtubules**
antidiuretic hormone action, bladder (toad), F14
- Mineralocorticoids**
acid excretion, renal, potassium deprivation and, F48
alkalosis, amiloride attenuation, F48
deficiency, renal acidosis, F283
- Models**
carbon dioxide and oxygen fluxes, bladder epithelium, mass spectrometry (toad), F413
chloride secretion, electrogenic, epithelial tissues, F1
flow dependence of nonelectrolyte absorption, nephron, F163
high output failure, converting enzyme inhibitor and, F541
isotonic fluid absorption, proximal tubules, F89
needle-type colloid osmometer for continuous determination of blood oncotic pressure, F419
oxygen consumption, measurement, in voltage-clamped epithelia (frog, toad), F206
proximal tubule reabsorption, physical forces, F478
renin inactivation, in vitro experiments (rat, dog, pig), F501
renin secretion, during dynamic changes in renal perfusion pressure (sheep), F546
sodium transport, negative feedback, bladder (toad), F505
thermodynamics, linear nonequilibrium, in study of renal physiology, F211
- Natriuresis**
arginine vasopressin and, F66
denervation, renal, F513
- Needle oncometer: see Oncometer;**
Osmometer
- Negative feedback: see Feedback**
- Nephrectomy**
potassium secretion, inner medullary collecting duct, F278
- Nephron**
angiotensin microperfusion, F365
deep, renal mass reduction, effects, F448
electrolyte transport, parathyroid hormone effects, F342
hemodynamics, spontaneous hypertension, F246
juxtamedullary, renal mass reduction, effects, F454
nonelectrolyte absorption, flow dependence, F163
superficial, renal mass reduction, effects, F454
- Newborn**
amino acid content, incubated renal cortex slices, F398
glomerular ultrafiltration, development, F465
ureteral obstruction, terminal collecting duct function, F260
- Nonelectrolytes**
absorption, flow dependence, nephron, F163
absorption, perfusion rate dependence, nephron, F163
saturable transport, nephron, F163
- Nonionic diffusion**
fluoride tissue distribution, F141
- Norepinephrine**
blood flow, renal cortical and medullary, laser-Doppler spectroscopy, F80
- Obstruction**
ureteral: *see* Ureteral obstruction
- Oncometer**
needle, model, F419
- Oncotic pressure: see Pressure**
- Organic acids**
absorption, nephron, F163
brush border membrane vesicles, F519
secretion, renal (*Necturus*), F442
secretion, renal tubules, inhibitors, F379
- Osmolality**
urinary (desert rodent), F448
- Osmometer**
colloid, needle-type, for continuous determination of blood oncotic pressure, F419
perforated hypodermic needle for membrane support, model, F419
- Osmotic control**
vasopressin release, F321
- Osmotic diuresis: see Diuresis**
- Osmotic pressure: see Pressure**
- Ouabain**
p-aminohippurate transport and sodium-potassium-ATPase activity, renal, F126
cell volume regulation, renal tubules, F226
potassium transport, perfused kidney (bullfrog), F175
temperature-dependent potentials, proximal tubules, F302
- Oxidation-reduction**
cytoplasmic, renal papilla, F423
sodium-potassium-ATPase, renal, vanadium and, F530
- Oxidative metabolism**
voltage-clamped bladder epithelia, mass spectrometry (toad), F413
- Oxygen**
consumption, measurement, voltage-clamped epithelia (frog, toad), F206
fluxes, voltage-clamped bladder epithelia, mass spectrometry (toad), F413
pressure, metabolism and, renal papilla, F423
tension, arterial and cisternal, in cerebrospinal fluid, F220
tension, bicarbonate formation and, cerebrospinal fluid, F220
- Oxygen electrodes**
voltage-clamped epithelia (frog, toad), F206
- P-113: see Angiotensin antagonists**
- Papillary perfusion rate**
spontaneous hypertension, F36
- Parasympathetic pathways**
vasopressin release, F321
- Parathyroid hormone**
bicarbonate absorption, proximal tubules, F387
calcium handling, renal, F349
electrolyte transport, nephron, F342
phosphate excretion, F184
plasma renin activity, F302
sodium excretion, F311
- Parathyroidectomy**
phosphate excretion, sodium bicarbonate effects, F184
- Particle aggregates**
intramembranous, bladder, antidiuretic hormone action (toad), F14
- Peptide**
hydrolysis, renal brush border, F365
- Perfusion: see specific subject and site**
- Perfusion pressure: see Pressure, and the specific subject and site**
- Permeability**
calcium, Henle's loop, F357
cell membrane, proximal tubules, amphotericin B effects (*Necturus*), F392
cyclic AMP effects, proximal tubule, F71
kidney, linear nonequilibrium thermodynamics, F211
sodium ions, proximal tubule cells (*Necturus*), F295
sucrose, proximal tubule, F71
- pH**
gradients, fluoride tissue distribution, F141
intracellular, hepatic, acute acidosis and alkalosis, F240
- Pharmacokinetics: see specific subject and site**
- Phenol red**
excretion, kidney (*Necturus*), F442
- Phenolsulfonphthalein**
excretion, kidney (*Necturus*), F442
- Phloridzin**
urate absorption, proximal tubule, F526
- Phosphate**
excretion, parathyroid hormone and, F311
excretion, sodium bicarbonate and parathyroidectomy effects, F184
reabsorption, sodium bicarbonate and parathyroidectomy effects, F184
- Phosphorus**
transport, parathyroid hormone effects, nephron, F342
- Physical forces**
reabsorption, proximal tubule, model,

Physical forces (*continued*)

- F478
- Physiology
 - comparative: *see* Species differences
- Plasma
 - composition, efferent vessels, tubular reabsorbate effects, F119
 - constituents: *see* specific constituent
- Plasma flow
 - papillary, spontaneous hypertension, F36
 - renal, autoregulation, renin and, F559
 - renal, maturational development, F465
- Polymers
 - flexible, as probes of glomerular pore size, F103
- Potassium: *see also* Sodium-potassium-ATPase
 - depletion, renal acidification and, F48
 - excretion, inner medullary collecting duct, F278
 - excretion, perfused kidney, ouabain effects (bullfrog), F175
 - mineralocorticoid deficiency acidosis, renal, F283
 - transport, ouabain effects, perfused kidney (bullfrog), F175
 - transport, renal tubular cells, F226
- Potassium ions
 - deprivation, acid excretory effect of mineralocorticoid, renal, F48
- Potassium secretion
 - fluid flow rate, distal tubule, F192
 - inner medullary collecting duct, F278
 - luminal influences, distal tubule, F192
 - sodium concentration, distal tubule, F192
- Potentials
 - transepithelial, proximal tubules, temperature dependence, F302
- Pressure: *see also* Blood pressure
 - arterial, spontaneous hypertension, F246
 - capillary, spontaneous hypertension, F246
 - colloid osmotic, tubuloglomerular feedback and, F97
 - glomerular, maturational development, F465
 - hydrostatic, proximal tubular reabsorption, F488
 - interstitial, proximal tubular reabsorption, F478
 - oncotic, blood, needle-type colloid osmometer, F419
 - oncotic, capillary, tubuloglomerular feedback, F97
 - osmotic, gradient, isotonic fluid transport, proximal tubule, F89
 - perfusion, renal, dynamic renin secretion (sheep), F546
 - ramp, renin secretion (sheep), F546
 - renal artery, autoregulatory responses of renal plasma flow and glomerular filtration rate, F559
 - renal artery, glomerular dynamics, F25
 - renal tubular, ureteral obstruction, F131
 - stop-flow, glomerular dynamics, F25
 - stop-flow, tubuloglomerular feedback, F97
- Probe
 - electron, urinary concentrating mechanism (desert rodent), F448
 - flexible polymers, glomerular pore size determination, F103
- Probenecid
 - p*-aminohippurate transport and sodium-potassium-ATPase activity, renal, F126

- urate absorption, proximal tubule, F526
- Prostaglandin E
 - excretion, diuretic-induced changes, F494
- Prostaglandin E₂
 - secretion and excretion, renal, F552
- Prostaglandins
 - inhibition, renin secretion and, F472
 - renin secretion, β -adrenergic and baroreceptor-mediated, F472
 - vasoconstrictor-vasodilator interactions, intrarenal, in ureteral obstruction, F131
- Pump, sodium
 - electromotive force, bladder (toad), F405
 - vanadium and, renal, F530
- Pyrazinamide
 - uric acid transport, brush border membrane vesicles, renal, F519
- Pyrazinoic acid
 - uric acid transport, brush border membrane vesicles, renal, F519
- Ramp pressure: *see* Pressure
- Reabsorption: *see* specific subject and site
- Receptors
 - baroreceptors, renin secretion, prostaglandins and, F472
 - baroreceptors, renin secretion, renal perfusion pressure and (sheep), F546
 - osmoreceptor, hypothalamic, vasopressin release, F321
- Renal artery
 - pressure: *see* Pressure
- Renal nerves
 - sodium handling, renal, F513
- Renin
 - concentration, plasma, P-113 effects (sheep), F333
 - content, renal, autoregulatory response of renal plasma flow and glomerular filtration rate, F559
 - denaturation, in vitro experiments, F501
 - glomerular filtration rate autoregulation, F559
 - half-life, in vitro, F501
 - inactivation, in vitro experiments (rat, dog, pig), F501
 - renal plasma flow autoregulation, F559
- Renin-angiotensin system
 - converting enzyme inhibitor in high output failure, F541
- Renin, plasma activity
 - arginine vasopressin effects, F66
 - converting enzyme inhibitor in high output failure, F541
 - 1-desamino-8-D-arginine vasopressin, effects, F66
 - parathyroid hormone effects, F311
 - prostaglandins and, F472
- Renin secretion
 - β -adrenergic and baroreceptor-mediated, prostaglandins and, F472
 - arginine vasopressin effects, F66
 - dynamic, during renal perfusion pressure (sheep), F546
- Renovascular hypertension: *see* Hypertension
- Resistance
 - arteriolar, efferent, glomerular dynamics, F25
 - arteriolar, renal, maturational development, F465
 - diffusion, isotonic proximal tubular fluid absorption, F89
 - vascular, renal, spontaneous

- hypertension, F246
- Respiratory acidosis: *see* Acidosis
- Respiratory alkalosis: *see* Alkalosis

Skin

- oxygen consumption, measurement (frog), F206
- Sodium
 - acidification kinetics, renal tubular, F434
 - chloride transport and, epithelial tissues, F1
 - concentration, potassium secretion, distal tubule, F192
 - deficiency, aldosterone secretion, P113
 - effects (sheep), F333
 - flux, ratio, electrochemical gradients and, bladder (toad), F405
 - gradient, epithelial tissues, F1
 - pump: *see* Pump
 - renal handling, sympathectomy effects, F513
- Sodium bicarbonate: *see also* Bicarbonate
 - sodium chloride and, reabsorption coupling, renal, F232
 - phosphate excretion, parathyroidectomy, F184
- Sodium-calcium exchange
 - sodium transport regulation, bladder (toad), F505
- Sodium chloride
 - coupled entry, proximal tubule cells (*Necturus*), F295
 - depletion, renal acidosis, F283
 - sodium bicarbonate and, reabsorption coupling, renal, F232
 - transepithelial addition, osmolality and (desert rodent), F448
- Sodium excretion
 - angiotensins II and III, role, F252
 - converting enzyme inhibitor in high output failure, F541
 - parathyroid hormone effects, F311
 - renal perfusion pressure and (sheep), F546
- Sodium-hydrogen antiport
 - renal tubular acidification, F434
- Sodium ions
 - activity, proximal tubule cells (*Necturus*), F295
 - amino acid absorption, proximal tubules, F149
 - electrically neutral flux, proximal tubule cells (*Necturus*), F295
 - filtered load, kidney, F9
 - glucose and, reabsorption, dissociation by amphotericin B, proximal tubules (*Necturus*), F392
 - luminal entry, proximal tubule cells (*Necturus*), F295
 - permeability, proximal tubule cells (*Necturus*), F295
- Sodium-potassium-ATPase
 - activity, *p*-aminohippurate transport and, renal, F126
 - activity, kidney cortex, time course, F9
 - inhibition, renal, determinants by vanadium, F530
- Sodium reabsorption
 - bladder (toad), F505
 - renal, hypothyroidism, F536
 - renal, ureteral obstruction, weanling, F260
- Sodium transport
 - active, proximal tubule, ionic requirements, F268

cytosolic calcium and, bladder (toad), F513
 electrochemical gradients and, bladder (toad), F405
 ionic requirements, proximal tubule, F268
 regulation, kidney (toad), F505
 renal tubular cells, F226
 selective luminal anion substitution, proximal tubule, F268
 sodium-calcium exchange and, bladder (toad), F505
 voltage-clamped epithelia (frog, toad), F206
 Solute gradients
 tubular, transepithelial, efferent vessel plasma and, F119
 Species differences
 p-aminohippurate transport, renal tubules (snakes), F379
 renin inactivation, in vitro (rat, dog, pig), F501
 urate transport, renal tubules (snakes), F379
 Spectrometry
 mass, carbon dioxide and oxygen fluxes, bladder epithelium (toad), F413
 Spectroscopy
 laser-Doppler, renal cortical and medullary blood flow measurement, F80
 SQ 14,225: *see* Converting enzyme inhibitor
 Stokes radius
 glomerular pore size, F103
 Stop-flow pressure: *see* Pressure
 Sucrose
 permeability, proximal tubule, cyclic AMP effects, F71
 Sugar
 absorption, nephron, F163
 Sympathectomy
 sodium handling, renal, F513

Temperature
 transepithelial potentials, proximal tubules, F302
 Thermodynamics
 active transport, mass spectrometry, bladder (toad), F413
 linear nonequilibrium, experimental perturbations, F211
 linear nonequilibrium, in study of renal physiology, F211
 Thyrocalcitonin
 plasma renin activity, F311
 sodium excretion, F311
 Tin
 lead transport, renal, inhibitory effects, F373
 Tissue

fluoride distribution, short-term kinetics, F141
 Toxicity
 fluoride, tissue, F141
 Transport kinetics: *see* specific subject and site
 Triiodothyronine
 renal response, time course, F9
 Tubuloglomerular feedback: *see* Feedback

Ultrafiltration: *see also* Filtration
 glomerular, maturational development, F465
 Urate
 absorption, D-glucose effects, proximal tubule, F526
 absorption, probenecid effects, proximal tubule, F526
 binding, brush border membrane vesicles, F519
 transport, coupled, proximal tubule, F526
 transport, inhibitors, renal tubules (garter snake), F379

Uremia
 deep nephron function, F454
 glucose transport, renal, volume expansion effects, F567
 terminal collecting duct, function, F454
 Ureteral obstruction
 glomerular response, F131
 terminal collecting duct function, weanling, F260
 vasoconstrictor-vasodilator interactions, renal, F131

Uric acid
 transport, brush border membrane vesicles, renal, F519
 Urinary bladder
 carbon dioxide and oxygen fluxes, voltage-clamped epithelia, mass spectrometry (toad), F415
 intramembranous particle aggregates (toad), F14
 membrane function and structure (toad), F14
 microtubules and microfilaments in antidiuretic hormone action (toad), F14
 oxygen consumption, measurement (toad), F206
 sodium transport, electrochemical gradients and, bladder (toad), F405
 Urinary concentrating mechanism
 desert rodent, F448
 Urinary excretion or constituents: *see* specific subject
 Urine
 alkalinization, phosphate excretion and, F184

concentration, ureteral obstruction, weanling, F260

Vanadate
 sodium-potassium-ATPase inhibition, renal, F530
 Vanadium
 sodium-potassium-ATPase inhibition, renal, F530
 Vanadyl
 sodium-potassium-ATPase inhibition, renal, F530
 Vascular resistance: *see* Resistance
 Vasoconstrictor-vasodilator interactions
 intrarenal, in ureteral obstruction, F131
 Vasopressin: *see also* Antidiuretic hormone
 1-desamino-8-D-arginine, electrolyte excretion, F66
 1-desamino-8-D-arginine, plasma renin activity, F66
 release, osmotic and nonosmotic control, F321
 release, threshold and sensitivity, F321
 Voltage
 transepithelial, calcium transport, Henle's loop, F357
 Voltage clamp
 carbon dioxide and oxygen fluxes, bladder epithelia, mass spectrometry (toad), F413
 chemical, calcium transport, Henle's loop, F357
 chemical, luminal sodium ion entry, proximal tubule cells (*Necturus*), F295
 oxygen consumption, epithelial, measurement (frog, toad), F206
 Voltage dependence
 calcium transport, thick ascending limb of Henle's loop, F357
 Volume
 absorption, proximal, nonelectrolytes, F163
 cells, renal tubular, regulation, F226
 reabsorption, proximal tubule, F58
 Volume expansion
 extracellular fluid, bicarbonate reabsorption, renal, in hypothyroidism, F536
 glucose transport, renal, normal and uremic, F567
 proximal tubular reabsorption, F495

Water: *see also* Air-water interface
 extraction (desert rodent), F448
 reabsorption, renal, ureteral obstruction, weanling, F260
 Weanling
 ureteral obstruction, terminal collecting duct function, F260

Author Index to Volume 5

- Acara, M., F112
 Adrogue, H. J., F30
 Alexander, E. A., F278
 Anderson, R. J., F321
 Andreoli, T. E., F89
 Arai, T., F419
 Arendshorst, W. J., F246
 Arieff, A. I., F240
 Aronson, P. S., F392
 Asztalos, B., F513

 Balfe, J. W., F252
 Bank, D. E., F184
 Bank, N., F119, F184
 Barfuss, D. W., F149, F163
 Beeuwkes, R., III, F66
 Beierwaltes, W. H., F246
 Bencsáth, P., F513
 Bengale, H. H., F278
 Bentley, S. K., F379
 Berl, T., F321, F472
 Bhat, S., F184
 Biagi, B. A., F302
 Bishop, J. H. V., F268
 Blaine, E. H., F546
 Blair-West, J. R., F333
 Blazer-Yost, B., F398
 Bonjour, J.-P., F349
 Boumendil-Podevin, E. F., F519
 Bourdeau, J. E., F357
 Bowen, P. D., F80
 Bowman, R. L., F80
 Brenner, B. M., F131, F465
 Briggs, J. P., F40
 Buerkert, J., F260, F454
 Burg, M. B., F357, F387
 Burnatowska, M. A., F342

 Caplan, S. R., F206, F211
 Carmines, P. K., F442
 Chambless, S., F454
 Chen, J. S., F405
 Cho, K. W., F501
 Chrabaszcz, G., F365
 Coghlan, J. P., F333
 Cohen, J. J., F30, F423
 Coleman, T. G., F252
 Cortell, S., F488
 Cox, J., F373

 Dantzler, W. H., F379
 Davis, J. O., F21, F541
 Deeds, D. G., F175
 DeForrest, J. M., F21, F541
 De Mello Aires, M., F434
 Denton, D. A., F333
 De Rouffignac, C., F448

 Dirks, J. H., F342
 Dunn, M. J., F552

 Ellis, S. J., F14
 Erickson, A. L., F472
 Essig, A., F206, F211, F413

 Fadem, S. Z., F494
 Field, M., F1
 Fleisch, H., F349
 Freeman, R. H., F21, F541
 Frizzell, R. A., F1

 Gardin, J.-P., F226
 Gennari, F. J., F488
 Giebisch, G., F268, F302
 Glynn, I. M., F530
 Glynn, R. D., F283
 Good, D. W., F192
 Grantham, J. J., F530
 Green, R., F268
 Grieb, P., F220
 Guyton, A. C., F252

 Haas, J. A., F25
 Hall, J. E., F252
 Hardy, K. J., F333
 Harris, C. A., F342
 Hayslett, J. P., F392
 Head, M., F260
 Henrich, W. L., F472
 Hong, S. K., F126
 Horimoto, M., F419
 Hugl, K., F349
 Hulter, H. N., F48, F283

 Ichikawa, I., F131, F465
 Iino, Y., F387
 Ito, K., F36

 Jacobson, H. R., F71
 Jamison, R. L., F448
 Jankowska, L., F220
 Johnson, B., F373
 Johnson, M. D., F66
 Jørgensen, K. E., F103

 Kachadorian, W. A., F14
 Kakiuchi, Y., F419
 Kashgarian, M., F392
 Kelley, J., F536
 Kil, F., F232
 Kikuchi, Y., F419
 Kimura, G., F295
 King, J. G., F413
 Kinter, L. B., F66
 Kinter, W. B., F442
 Klahr, S., F454

 Klose, R., F119
 Knight, T. F., F526
 Knox, F. G., F25
 Kojima, S., F36
 Koyama, T., F419
 Kuroda, S., F184

 Lang, M. A., F206
 Leach, W. J., F240
 Lefavour, G. S., F488
 Levie, F., F226
 Licht, J. H., F48, F283
 Lifschitz, M. D., F494
 Lo, C.-S., F9
 Lo, T. N., F9
 Lucci, M. S., F58

 Maddox, D. A., F465
 Madias, N. E., F30
 Malnic, G., F434
 Malvin, R. L., F501, F559
 Marchand, G. R., F25
 Marsh, D. J., F478
 Martin, D., F260, F454
 Mathisen, Ø., F232
 McNamara, E. R., F278
 Michael, U. F., F536
 Möller, J. V., F103
 Monclair, T., F232
 Mouw, D. R., F311, F373
 Muller, J., F14
 Müller-Suur, R., F97
 Murray, R. D., F559

 Nakamura, T., F36

 Oparil, S., F365
 Osgood, R. W., F80
 Osswald, H., F25

 Paillard, M., F226
 Park, R., F240
 Parma, R., F80
 Pashley, D. H., F141
 Patak, R. V., F494
 Persson, A. E. G., F97
 Peterson, D. R., F365
 Peterson, W. R., F365
 Podevin, R. A., F519
 Prasad, J., F454
 Priol, C., F519

 Quamme, G. A., F342
 Quinn, M. D., F478

 Ræder, M., F232
 Rector, F. C., Jr., F58
 Rennick, B., F112
 Reynolds, K. E., F141

 Reynolds, R., F398
 Roch-Ramel, F., F112
 Roinel, N., F448
 Rosenblatt, S. G., F494
 Rosenthal, S. J., F206, F413
 Rowe, B. P., F541

 Sack, J., F126
 Salgado, H. C., F252
 Sansom, S., F526
 Schafer, J. A., F89, F149, F163
 Schrier, R. W., F321, F472
 Schultz, S. G., F1
 Schwartz, W. B., F30
 Scoggins, B. A., F333
 Sebastian, A., F48, F283
 Seely, J. F., F342
 Segal, S., F398
 Selén, G., F97
 Senekjian, H. O., F526
 Seymour, A. A., F541
 Smith, J. M., F311
 Spencer, A. M., F126
 Spring, K. R., F295
 Stein, J. H., F80, F494
 Stephens, G. A., F21
 Stern, M. D., F80
 Stoll, R. W., F567
 Sullivan, L. P., F175
 Sutton, R. A. L., F342
 Suzuki, T., F36
 Szalay, L., F513
 Szyjewicz, J., F119

 Takács, L., F513
 Tanner, G. A., F442
 Taylor, A., F505

 Vaamonde, C. A., F536
 Vander, A. J., F311, F373

 Walser, M., F405
 Warnock, D. G., F58
 Watkins, B. E., F21
 Weinman, E. J., F526
 Weinstein, S. W., F119
 Welling, D. J., F175
 Wen, S.-F., F567
 Whitford, G. M., F141
 Wilkinson, H. L., F175
 Williams, G. M., F541
 Windhager, E. E., F505
 Wright, F. S., F40, F192
 Wright, R. D., F333

 Zambraski, E. J., F552
 Zilenovski, A. M., F184
 Zimmerman, M. B., F546

American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

VOLUME 5, January-June 1979

Editor: T. E. ANDREOLI

Associate Editor: F. S. WRIGHT

Editorial Board:

B. M. BRENNER
W. H. DANTZLER
T. P. DOUSA
J. S. HANDLER

F. G. KNOX
T. MAACK
D. J. MARSH

R. W. SCHRIER
M. WALSER
D. G. WARNOCK

***Publications Committee of the
American Physiological
Society***

A. P. FISHMAN, *Chairman*
R. W. BERLINER
R. M. BERNE

S. R. GEIGER
*Publications Manager and
Executive Editor*

B. B. RAUNER
Production Manager

W. A. SONNENBERG
Business Manager

A. RAEFSKY
Copy Editor

Published monthly by
THE AMERICAN PHYSIOLOGICAL SOCIETY
9650 Rockville Pike, Bethesda, MD 20014

Copyright © 1979 by the American Physiological Society. Printed in the United States of America by Waverly Press, Inc., Baltimore, MD 21202. The code at the bottom of the first page of an article indicates the copyright owner's consent that copies of an article may be made beyond that permitted by sections 107 and 108 of the U.S. Copyright Law—unless the copies are for general distribution, for advertising, for creating new works, or for resale—provided the per-copy fee is paid through the Copyright Clearance Center, Inc., Operations Center, P.O. Box 765, Schenectady, NY 12301.

Guest Referee Editors

The Publications Committee of the American Physiological Society gratefully acknowledges the services of the following guest referee editors who assisted the Editorial Board in the reviews of manuscripts.

F. F. Adams	M. J. Dunn	J. A. Jacquez	T. Reynolds
S. Adler	G. Eknoyan	R. L. Jamison	G. L. Robertson
Z. S. Agus	F. H. Epstein	C. I. Johnston	F. Roch-Ramel
Q. Al-Awqati	M. Epstein	H. R. Keiser	J. C. Romero
R. J. Anderson	D. D. Fanestil	F. Kiil	S. G. Rostand
W. J. Arendshorst	T. F. Ferris	L. I. Kleinman	G. Sachs
A. I. Arieff	M. Field	A. Kleinzeller	H. Sackin
P. Aronson	L. G. Fine	J. P. Knochel	B. Sacktor
L. V. Avioli	A. L. Finn	J. P. Kokko	J. A. Schafer
N. Bank	W. F. Finn	T. A. Kotchen	B. Schmidt-Nielsen
D. W. Barfuss	W. Flamenbaum	R. T. Kunau	A. Schwartz
S. B. Baruch	J. N. Forrest	N. A. Kurtzman	J. H. Schwartz
N. Beck	E. C. Foulkes	W. E. Lassiter	S. Segal
C. J. Bentzel	R. H. Freeman	J. B. Lee	E. E. Selkurt
T. Berl	J. J. Friedman	S. D. Levine	P. Silva
C. Berry	R. A. Frizzell	M. Levy	M. Silverman
R. C. Blantz	E. Fromter	S. Lewis	H. W. Sokol
D. F. Bohr	J. H. Galla	B. D. Lindley	S. Solomon
E. H. Bresler	W. G. Ganong	L. M. Lowenstein	H. Sonnenberg
M. J. Brody	F. J. Gennari	R. G. Luke	K. Spring
R. W. Butcher	G. H. Giebisch	D. A. Maddox	T. H. Steele
M. Canessa	J. R. Gill, Jr.	R. H. Maffly	J. H. Stein
O. A. Carretero	S. Goldfarb	R. L. Malvin	P. Stern
N. W. Carter	L. Goldstein	T. H. Maren	B. J. Stinebaugh
R. Chesney	J. J. Grantham	S. G. Massry	J. Stokes
F. P. Chinard	R. B. Gunn	J. C. McGiff	L. P. Sullivan
P. C. Churchill	A. C. Guyton	B. S. Misanko	R. L. Tannen
R. S. Clements, Jr.	J. E. Hall	F. Morel	H. Valtin
J. W. Coburn	R. N. Hamburger	L. G. Navar	A. J. Vander
F. Coe	M. Hanley	W. G. North	J. J. Vostel
J. J. Cohen	J. P. Hayslett	S. Oparil	J. Wade
R. E. Colindres	S. C. Hebert	J. C. Parker	I. M. Weiner
J. D. Conger	J. T. Higgins, Jr.	D. W. Ploth	M. W. Weiner
L. S. Costanzo	L. Hokin	R. L. Post	E. J. Weinman
A. W. Cowley	J. B. Hook	H. G. Preuss	S. Weinstein
R. M. Culpepper	U. Hopfer	L. Rabinowitz	K. Welch
J. O. Davis	H. N. Hulter	E. Rabon	S.-F. Wen
W. N. Deen	J. D. Humes	F. C. Rector, Jr.	R. Williams
V. W. Dennis	M. H. Humphreys	E. M. Renkin	L. R. Willis
G. F. DiBona	I. Ichikawa	B. R. Rennick	J. Zadunaisky
J. H. Dirks	H. R. Jacobson	L. Reuss	R. M. Zusman
T. DuBose			

American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

No. 1. JANUARY 1979

EDITORIAL REVIEW

- Sodium-coupled chloride transport by epithelial tissues
R. A. Frizzell, M. Field, and S. G. Schultz F1
-
- Time course of the renal response to triiodothyronine in the rat
C.-S. Lo and T. N. Lo F9
- Possible roles for microtubules and microfilaments in ADH action on toad urinary bladder
W. A. Kachadorian, S. J. Ellis, and J. Muller F14
- Effects of continuous converting enzyme blockade on renovascular hypertension in the rat
R. H. Freeman, J. O. Davis, B. E. Watkins, G. A. Stephens, and J. M. DeForrest F21
- Glomerular dynamics in dogs at reduced renal artery pressure
H. Osswald, J. A. Haas, G. R. Marchand, and F. G. Knox F25
- Effect of natural variations in P_{aCO_2} on plasma $[HCO_3^-]$ in dogs: a redefinition of normal
N. E. Madias, H. J. Adrogué, J. J. Cohen, and W. B. Schwartz F30
- Changes in renal papillary blood flow with progression of SHR hypertension
K. Ito, S. Kojima, T. Suzuki, and T. Nakamura F36
- Feedback control of glomerular filtration rate: site of the effector mechanism
J. P. Briggs and F. S. Wright F40
- K^+ deprivation potentiates the renal acid excretory effect of mineralocorticoid: obliteration by amiloride
H. N. Hulter, J. H. Licht, and A. Sebastian F48
- Carbonic anhydrase-dependent bicarbonate reabsorption in the rat proximal tubule
M. S. Lucci, D. G. Warnock, and F. C. Rector, Jr. F58
- Effects of AVP and DDAVP on plasma renin activity and electrolyte excretion in conscious dogs
M. D. Johnson, L. B. Kinter, and R. Beeuwkes III F66
- Altered permeability in the proximal tubule response to cyclic AMP
H. R. Jacobson F71

SPECIAL COMMUNICATIONS

- Measurement of renal cortical and medullary blood flow by laser-Doppler spectroscopy in the rat
M. D. Stern, P. D. Bowen, R. Parma, R. W. Osgood, R. L. Bowman, and J. H. Stein F80

ANNOUNCEMENTS

F88

No. 2. FEBRUARY 1979

EDITORIAL REVIEW

- Effective luminal hypotonicity: the driving force for isotonic proximal tubular fluid absorption
T. E. Andreoli and J. A. Schafer F89
-
- Capillary oncotic pressure as a modifier for tubuloglomerular feedback
A. E. G. Persson, R. Müller-Suur, and G. Selén F97

Use of flexible polymers as probes of glomerular pore size <i>K. E. Jørgensen and J. V. Møller</i>	F103
Bidirectional renal tubular transport of free choline: a micropuncture study <i>M. Acara, F. Roch-Ramel, and B. Rennick</i>	F112
Effects of tubular reabsorbate on efferent vessel plasma composition <i>S. W. Weinstein, N. Bank, R. Klose, and J. Szyjewicz</i>	F119
Relationship between PAH transport and Na-K-ATPase activity in the rabbit kidney <i>A. M. Spencer, J. Sack, and S. K. Hong</i>	F126
Local intrarenal vasoconstrictor-vasodilator interactions in mild partial ureteral obstruction <i>I. Ichikawa and B. M. Brenner</i>	F131
Fluoride tissue distribution: short-term kinetics <i>G. M. Whitford, D. H. Pashley, and K. E. Reynolds</i>	F141
Active amino acid absorption by proximal convoluted and proximal straight tubules <i>D. W. Barfuss and J. A. Schafer</i>	F149
Flow dependence of nonelectrolyte absorption in the nephron <i>D. W. Barfuss and J. A. Schafer</i>	F163
Effects of ouabain on potassium transport in the perfused bullfrog kidney <i>H. L. Wilkinson, D. G. Deeds, L. P. Sullivan, and D. J. Welling</i>	F175
Effect of sodium bicarbonate on phosphate excretion in acute and chronic PTX rats <i>A. M. Zilenovski, S. Kuroda, S. Bhat, D. E. Bank, and N. Bank</i>	F184
Luminal influences on potassium secretion: sodium concentration and fluid flow rate <i>D. W. Good and F. S. Wright</i>	F192

SPECIAL COMMUNICATIONS

Measurement of oxygen consumption in voltage-clamped epithelia <i>M. A. Lang, S. J. Rosenthal, S. R. Caplan, and A. Essig</i>	F206
--	------

No. 3. MARCH 1979

EDITORIAL REVIEW

The use of linear nonequilibrium thermodynamics in the study of renal physiology <i>A. Essig and S. R. Caplan</i>	F211
Relationship between arterial and cisternal CSF oxygen tension in rabbits <i>L. Jankowska and P. Grieb</i>	F220
Regulation of cell volume in separated renal tubules incubated in hypotonic medium <i>M. Paillard, F. Leviel, and J.-P. Gardin</i>	F226
Coupling of NaHCO_3 and NaCl reabsorption in dog kidneys during changes in plasma PCO_2 <i>Ø. Mathisen, T. Monclair, M. Ræder, and F. Kül</i>	F232
Determination of liver intracellular pH in vivo and its homeostasis in acute acidosis and alkalosis <i>R. Park, W. J. Leach, and A. I. Arieff</i>	F240
Renal and nephron hemodynamics in spontaneously hypertensive rats <i>W. J. Arendshorst and W. H. Beierwaltes</i>	F246
Intrarenal role of angiotensin II and [des-Asp ¹]angiotensin II <i>J. E. Hall, T. G. Coleman, A. C. Guyton, J. W. Balfe, and H. C. Salgado</i>	F252
Effect of acute ureteral obstruction on terminal collecting duct function in the weanling rat <i>J. Buerkert, D. Martin, and M. Head</i>	F260
Ionic requirements of proximal tubular sodium transport. III. Selective luminal anion substitution <i>R. Green, J. H. V. Bishop, and G. Giebisch</i>	F268

Potassium secretion along the inner medullary collecting duct <i>H. H. Bengele, E. R. McNamara, and E. A. Alexander</i>	F278
Renal acidosis in mineralocorticoid deficiency is not dependent on NaCl depletion or hyperkalemia <i>H. N. Hulter, J. H. Licht, R. D. Glynn, and A. Sebastian</i>	F283
Luminal Na ⁺ entry into <i>Necturus</i> proximal tubule cells <i>G. Kimura and K. R. Spring</i>	F295
Temperature dependence of transepithelial potential in isolated perfused rabbit proximal tubules <i>B. A. Biagi and G. Giebisch</i>	F302
Effect of parathyroid hormone on plasma renin activity and sodium excretion <i>J. M. Smith, D. R. Mouw, and A. J. Vander</i>	F311

No. 4. APRIL 1979

EDITORIAL REVIEW

Osmotic and nonosmotic control of vasopressin release <i>R. W. Schrier, T. Berl, and R. J. Anderson</i>	F321
Effect of adrenal arterial infusion of P-113 on aldosterone secretion in Na-deficient sheep <i>J. R. Blair-West, J. P. Coghlán, D. A. Denton, K. J. Hardy, B. A. Scoggins, and R. D. Wright</i>	F333
Effects of parathyroid hormone on electrolyte transport in the hamster nephron <i>C. A. Harris, M. A. Burnatowska, J. F. Seely, R. A. L. Sutton, G. A. Quamme, and J. H. Dirks</i>	F342
Renal handling of calcium: influence of parathyroid hormone and 1,25-dihydroxyvitamin D ₃ <i>K. Hugi, J.-P. Bonjour, and H. Fleisch</i>	F349
Voltage dependence of calcium transport in the thick ascending limb of Henle's loop <i>J. E. Bourdeau and M. B. Burg</i>	F357
Mechanism for renal tubular handling of angiotensin <i>D. R. Peterson, G. Chrabaszcz, W. R. Peterson, and S. Oparil</i>	F365
Lead transport by renal slices and its inhibition by tin <i>A. J. Vander, D. R. Mouw, J. Cox, and B. Johnson</i>	F373
Effects of inhibitors in lumen on PAH and urate transport by isolated renal tubules <i>W. H. Dantzler and S. K. Bentley</i>	F379
Effect of parathyroid hormone on bicarbonate absorption by proximal tubules in vitro <i>Y. Iino and M. B. Burg</i>	F387
Dissociation of proximal tubular glucose and Na ⁺ reabsorption by amphotericin B <i>P. S. Aronson, J. P. Hayslett, and M. Kashgarian</i>	F392
Amino acid content of rat renal cortex and the response to in vitro incubation <i>B. Blazer-Yost, R. Reynolds, and S. Segal</i>	F398
Effects of electrochemical gradients on active sodium transport in toad urinary bladder <i>J. S. Chen and M. Walser</i>	F405

SPECIAL COMMUNICATIONS

Use of mass spectrometer to measure CO ₂ and O ₂ fluxes in voltage-clamped epithelia <i>S. J. Rosenthal, J. G. King, and A. Essig</i>	F413
A new needle-type colloid osmometer for continuous determination of blood oncotic pressure <i>Y. Kakiuchi, T. Arai, M. Horimoto, Y. Kikuchi, and T. Koyama</i>	F419

EDITORIAL REVIEW

Is the function of the renal papilla coupled exclusively to an anaerobic pattern of metabolism?

J. J. Cohen

F423

Sodium in renal tubular acidification kinetics

M. de Mello Aires and G. Malnic

F434

Excretion of phenol red by the *Necturus* kidney

G. A. Tanner, P. K. Carmines, and W. B. Kinter

F442

Urinary concentrating mechanism in the desert rodent *Psammomys obesus*

R. L. Jamison, N. Roinel, and C. de Rouffignac

F448

Response of deep nephrons and the terminal collecting duct to a reduction in renal mass

J. Buerkert, D. Martin, J. Prasad, S. Chambless, and S. Klahr

F454

Maturation development of glomerular ultrafiltration in the rat

I. Ichikawa, D. A. Maddox, and B. M. Brenner

F465

Prostaglandins in the beta-adrenergic and baroreceptor-mediated secretion of renin

T. Berl, W. L. Henrich, A. L. Erickson, and R. W. Schrier

F472

Peritubular capillary control of proximal tubule reabsorption in the rat

M. D. Quinn and D. J. Marsh

F478

Effect of delivery on proximal tubular reabsorption during volume expansion in the rat

G. S. Lefavour, F. J. Gennari, and S. Cortell

F488

Diuretic-induced changes in renal blood flow and prostaglandin E excretion in the dog

R. V. Patak, S. Z. Fadem, S. G. Rosenblatt, M. D. Lifschitz, and J. H. Stein

F494

SPECIAL COMMUNICATIONS

Renin inactivation during in vitro experiments

K. W. Cho and R. L. Malvin

F501

EDITORIAL REVIEW

Possible role of cytosolic calcium and Na-Ca exchange in regulation of transepithelial sodium transport

A. Taylor and E. E. Windhager

F505

Renal handling of sodium after chronic renal sympathectomy in the anesthetized rat

P. Bencsáth, B. Asztalos, L. Szalay, and L. Takács

F513

Uric acid transport in brush border membrane vesicles isolated from rabbit kidney

E. F. Boumendis-Podevin, R. A. Podevin, and C. Priol

F519

Effects of intraluminal D-glucose and probenecid on urate absorption in the rat proximal tubule

T. F. Knight, H. O. Senekjian, S. Sansom, and E. J. Weinman

F526

Renal Na,K-ATPase: determinants of inhibition by vanadium

J. J. Grantham and I. M. Glynn

F530

Impaired renal bicarbonate reabsorption in the hypothyroid rat

U. F. Michael, J. Kelley, and C. A. Vaamonde

F536

Effects of the oral converting enzyme inhibitor SQ 14225 in experimental high output failure

G. M. Williams, J. O. Davis, R. H. Freeman, J. M. DeForrest, A. A. Seymour, and B. P. Rowe

F541

Renin secretion during dynamic changes in renal perfusion pressure

E. H. Blaine and M. B. Zimmerman

F546

Renal prostaglandin E ₂ secretion and excretion in conscious dogs <i>E. J. Zambraski and M. J. Dunn</i>	F552
Intrarenal renin and autoregulation of renal plasma flow and glomerular filtration rate <i>R. D. Murray and R. L. Malvin</i>	F559
Effect of volume expansion on renal glucose transport in normal and uremic dogs <i>S.-F. Wen and R. W. Stoll</i>	F567
<hr/>	
Subject Index to Volume 5	F575
Author Index to Volume 5	F582

CORRIGENDA

Volume 234, April 1978

Volume 3, April 1978

Page F297: O. A. Candia and H. F. Schoen. "Selective effects of bumetanide on chloride transport in bullfrog cornea." The values for oxygen consumption (means \pm SE) as given in the abstract and in Table 4 are 100 times larger than the correct values. In the abstract, line 6 from the bottom should read "from 3.52 ± 0.14 to $2.97 \pm 0.19 \mu\text{l/h}\cdot\text{cm}^2$." Table 4 (page F300) should be

	Control	Treated
NaCl	4.82 ± 0.34 3.52 ± 0.13	4.96 ± 0.31 2.98 ± 0.19
Na ₂ SO ₄	3.39 ± 0.17 3.15 ± 0.15	3.64 ± 0.21 3.51 ± 0.16

Volume 235, December 1978

Volume 4, December 1978

Page F586: M. K. Sahib, J. H. Schwartz, and J. S. Handler. "Inhibition of toad urinary bladder sodium transport by carbamylcholine: possible role of cyclic GMP." In Table 3 (page F589) the values 11.9 ± 0.6 for cAMP and 0.28 ± 0.02 for cGMP should be opposite 10 mU/ml AVP plus 100 μM carbamylcholine. Braces have been added to the table to define the paired experiments. The corrected table follows.

TABLE 3. Effect of vasopressin and carbamylcholine on SCC and epithelial cell content of cyclic nucleotides

Addition	SCC, $\mu\text{A}/8\text{ cm}^2$	cAMP, pmol/mg protein	cGMP, pmol/mg protein
None	140 ± 12	6.20 ± 0.57	0.14 ± 0.01
10 mU/ml AVP	210 ± 22		
10 mU/ml AVP	220 ± 19	12.7 ± 0.9	0.16 ± 0.01
10 mU/ml AVP plus 100 μM carbamylcholine	188 ± 17		
None	152 ± 12	11.9 ± 0.6	0.28 ± 0.02
100 μM carbamyl- choline	47 ± 6		
		6.7 ± 0.5	0.29 ± 0.03

Short-circuit current values are those 10 min after the addition of agent(s). Vasopressin (AVP) was added 10 min and carbamylcholine was added two min before cells were collected for measurement of cyclic nucleotides. $n = 5$. * $P < 0.05$.

Volume 236, February 1979

Volume 5, February 1979

Page F131: I. Ichikawa and B. M. Brenner. "Local intrarenal vasoconstrictor-vasodilator interactions in mild partial ureteral obstruction." In Tables 1 and 2 (page F135) and Table 5 (page F138) the overbar for mean femoral arterial pressure, $\overline{\text{AP}}$, and for mean glomerular transcapillary hydraulic pressure difference, $\Delta\overline{\text{P}}$, was inadvertently lost in the printing process. Tables 1 and 2: column 3 heading should be $\overline{\text{AP}}$, mmHg; column 6 heading should be $\Delta\overline{\text{P}}$, mmHg; column 11 heading should be $\Pi_{\text{E}}/\Delta\overline{\text{P}}$. Table 5: column 11 heading should be $\Pi_{\text{E}}/\Delta\overline{\text{P}}$.

Subject Index to Volume 6

Absorption: *see* specific subject and site
Absorptive hypercalciuria: *see* Hypercalciuria

Acetazolamide
 bicarbonate reabsorption, proximal tubule, F447

Acid-base regulation
 renal tissue slices, arsenite effects, F03

Acid-base status
 lead excretion and accumulation, renal, F398

Acid phosphatase
 sodium restriction on renin, renal, F367

Acidosis
 glutamate metabolism, renal cortical mitochondria, F55
 metabolic, phosphorus reabsorption, fasting effects, F241
 metabolic, renal tissue slice metabolism, arsenite effects, F93
 parathyroid hormone resistance, F175

Adenosine
 chloride active transport, isolated cornea (frog), F121
 N⁶-monobutyl, metabolism, isolated perfused kidney, F75
 renal postocclusive vasoconstriction and, F463

Adenosine monophosphate
 antidiuretic action, urinary bladder (frog), F483

Adenosine monophosphate, cyclic
 chloride transport, rectal gland (dogfish), F138
 dibutyl, metabolism, isolated perfused kidney, F75
 parathyroid hormone resistance, F175
 phosphaturia in fasting, F241
 plasma, urine, and renal papillary content, dissociation following vasopressin, F218
 postobstructive phosphaturia, ureteral, F14
 sodium-potassium-ATPase activity, rectal gland (dogfish), F468

Adenosine triphosphatase: *see* Sodium-potassium-ATPase

Adenylate cyclase
 anesthetic-induced inhibition, urinary bladder (toad), F372
 kidney cortical tubules, isolated, F350
 phosphaturia in fasting, F241

Adrenalectomy
 proteinuria, angiotensin- and norepinephrine-induced, F133

Afferent arterioles
 juxtaglomerular, anatomy, F333

Alanine
 production, renal, F7

Albumin
 hyperoncotic, sodium transport, superficial and juxtamedullary nephron, F34

Aldosterone: *see also* Renin-angiotensin-aldosterone system
 angiotensin II formation, blockade, F424
 proteinuria, angiotensin- and norepinephrine-induced, F133
 receptors: *see* Receptors

Alkalosis
 metabolic, renal tissue slice metabolism, arsenite effects, F93

Amino acids
 α -aminoisobutyric acid reabsorption and, renal, F274

p-Aminohippurate
 extraction, renal renin release and, F188
 papillary plasma flow, potassium deficiency effects, F226
 secretion, proximal tubules, F85

p-Aminohippuric acid
 brush border vesicles, kidney (flounder), F291
 transport, carrier-mediated, kidney (flounder), F291

α -Aminoisobutyric acid
 clearance, renal, F274
 reabsorption, renal, F274

Ammoniogenesis
 renal, fatty acid inhibitory action, fluoroacetate effects, F7
 renal, ketone body inhibitory action, fluoroacetate effects, F7

Amphotericin B
 potassium ions transport, excised urinary bladder (toad), F145

Anesthesia: *see also* specific anesthetic
 saline load, renal response, F262

Anesthetics
 adenylate cyclase inhibition, urinary bladder (toad), F372

Angiotensin: *see also* Renin-angiotensin
 adenosine and, interaction in blockade of postocclusive renal vasoconstriction, F463

proteinuria, corticoid effects, F133
 sodium restriction on renin, renal, F367

Angiotensin II
 formation, blockade during sodium deprivation, F424
 saralasin-induced reversal of multiple intrarenal effects, F386

Angiotensin antagonists
 postocclusive renal vasoconstriction blockade, F463
 renal blood flow and renin release responses to hypertonic saline, F441
 reversal of multiple intrarenal effects of angiotensin II, F386

Anions
 organic, transport, prostaglandin E₂ secretion and, proximal tubules, F268

Antidiuresis
 erythrocyte velocity, vasa recta, F326
 pH, mucosal and serosal, bladder (frog), F483

Antidiuretic hormone: *see also* Vasopressin
 anesthetic-induced adenylate cyclase inhibition, bladder (toad), F372
 deficiency, cyclic AMP content, plasma, urine, and renal papilla, F218
 erythrocyte velocity, vasa recta, F326
 nonpressor central nervous system natriuresis, F157

Antinatriuretic states
 saralasin and, F386

Apparatus and techniques: *see* specific subject and site; *see also* Models

Arginine vasopressin: *see* Vasopressin

Arsenite
 renal tissue slice metabolism and, F93
 Arterial pressure: *see* Pressure

Arterioles
 afferent and efferent, juxtaglomerular, anatomy, F333

ATPase: *see* Sodium-potassium-ATPase
Autoregulation: *see also* Blood flow
 efficiency, renal, F479
 blood flow, renal, F479
 filtration rate, renal, F479
 prostaglandin inhibitors, renal, F20
 single nephron glomerular filtration rate, feedback mediation, F63
 stop-flow pressure feedback during reduced renal vascular resistance, F204

Backleak
 tubular, renal failure, F319

Barbiturates
 adenylate cyclase inhibition, bladder (toad), F372
 saline load, denervated and intact kidney, F262

Benzolamide
 chloride gradient and, proximal tubule, F473

Bicarbonate
 chloride gradient and, proximal tubule, F473

excretion, proximal tubule, acetazolamide effects, F447
 reabsorption, proximal tubule, acetazolamide effects, F447

Biological transport: *see* subject and site
Bladder: *see* Urinary bladder

Blockade
 angiotensin II formation, during sodium deprivation, F424
 postocclusive renal vasoconstriction, by angiotensin II antagonist, F463

Blood flow
 glomerular, tubular obstruction, F379
 intrarenal distribution, bradykinin and, F433

Blood flow, renal
 angiotensin II formation, chronic blockade, F424
 autoregulation, F473

bradykinin, natriuretic action, F182
 hypertonic saline effects, F441
 postocclusive renal vasoconstriction blockade, F463

prostaglandins, F20, F182
 regional renin release, F188
 stop-flow pressure feedback, F204
 tubular obstruction, F379
 volume expansion, neonatal, F392

Blood pressure: *see also* Pressure
 angiotensin II formation, chronic blockade, F424
 vasopressin effects, acute and chronic, F232

Bradykinin
 natriuretic action, renal prostaglandins and, F182
 renal hemodynamic alterations, renin and prostaglandin relations, F433

- Brush border vesicles
p-aminohippuric acid transport, kidney (flounder), F291
- Calcium**
 absorption, hypercalciuria and, F415
 parathyroid hormone resistance, F175
 postobstructive phosphaturia, ureteral, F14
 transport, nephron, F1
 transport, tubular cell plasma membranes, isolated, F1
- Capillary pressure: *see* Pressure
- Caprylic acid
 octanoate metabolism, perfused kidney, F210
- Carbon dioxide
 total, bicarbonate reabsorption, proximal tubule, F447
- Carbonic anhydrase
 bicarbonate reabsorption, proximal tubule, F447
 chloride gradient and, proximal tubule, F473
- Carrier-mediated transport: *see* specific subject and site
- Catheterization
 phosphate transport, medullary collecting duct, F48
- Cell markers: *see* Markers
- Central nervous system
 natriuresis, nonpressor mechanisms, F157
- Centrifugation
 sucrose-density gradient, sodium restriction on renin, renal, F367
- Cerebrospinal fluid: *see* Fluid
- Chloride
 fluxes, cornea (frog), F121
 gradient, volume expansion-induced proximal tubular alterations, F473
 intracellular, rectal gland (dogfish), F468
 secretion, rectal gland (dogfish), F468
 transport, hormonal regulation, rectal gland (dogfish), F138
 transport, isolated cornea, adenosine effects (frog), F121
- Chloride ions
 flux, paracellular component of isotonic fluid absorption, superficial proximal straight tubules, F455
 flux, solvent drag, superficial proximal straight tubules, F455
 passive absorption, diffusional and nondiffusional components, proximal straight tubule, F455
 pump: *see* Pump
- Choline
 potassium ion transport, urinary bladder (toad), F145
- Chromatography
 high-pressure liquid, bicarbonate reabsorption, proximal tubule, F447
- Circulation: *see* Blood flow;
 Microcirculation
- Citrate
 metabolism, renal slices, arsenite effects, F93
 renal handling, hypocitricemia, F307
- Clearance: *see* specific subject and site
- Collecting ducts, tubules: *see* Kidney tubules, collecting
- Comparative physiology: *see* Species differences
- Compensatory hypertrophy: *see*
- Hypertrophy
- Computer simulations: *see* specific subject and site; *see also* Models
- Converting enzyme inhibitors
 SQ 14225, angiotensin II formation, blockade during sodium deprivation, F424
- Cornea
 chloride transport, epithelial (frog), F121
 chloride transport, short-circuit current (frog), F121
 isolated, chloride active transport, adenosine effects (frog), F121
- Corticoids
 angiotensin-induced proteinuria, F133
 norepinephrine-induced proteinuria, F133
- Countercurrent exchanger
 erythrocyte velocity, vasa recta, F326
- Current
 short-circuit, chloride transport, cornea (frog), F121
- Cyclic AMP: *see* Adenosine monophosphate, cyclic
- Cyclic nucleotides: *see* Nucleotides
- 1-Deamino-8-D-arginine vasopressin: *see* Vasopressin
- Dehydration
 urinary concentrating ability, F100
- Denervation: *see* specific subject, nerves, or site
- Deoxycorticosterone acetate
 loading, single nephron glomerular filtration rate, feedback-mediated autoregulation, F63
- Development: *see also* Growth
 renal, F392
- Dexamethasone
 aldosterone receptors, distribution, cortical tubules, F360
 proteinuria, angiotensin- and norepinephrine-induced, F133
- Dextran
 fractional clearance profile, renal failure, F319
- Diabetes insipidus
 urinary concentrating ability, F100
- Dibutylryl adenosine monophosphate: *see* Adenosine monophosphate
- Diuresis
 saline, denervated and intact kidney, F262
 water, erythrocyte velocity, vasa recta, F326
- DOCA: *see* Deoxycorticosterone acetate
- Effective renal plasma flow: *see* Plasma flow**
- Efferent arterioles
 juxtaglomerular, anatomy, F333
- Elastic tubes
 Henle's loop, F196
- Electrochemical potentials: *see* Potentials
- Electrolytes
 excretion, prostaglandin E₂ and, F344
 vasopressin effects, acute and chronic, F232
- Electromagnetic flow techniques
 blood flow and filtration rate autoregulation, F473
- Electron microprobe analysis: *see* Microprobes
- Epithelium: *see also* specific subject and site
- transport processes, differential interference contrast, F167
 transport processes, optical techniques for evaluation, F167
- Erythrocytes, velocity
 antidiuretic hormone effects, vasa recta, F326
 countercurrent exchanger, vasa recta, F326
 cross-correlation, vasa recta, F326
 saline loading effects, vasa recta, F326
- Estradiol
 aldosterone receptors, distribution, cortical tubules, F360
- Excretion: *see* specific subject and site
- Extracellular fluid volume: *see* Volume
- Extracellular markers: *see* Markers
- Extracellular volume expansion: *see* Volume expansion
- Extraglomerular mesangium
 anatomy, F333
- Fasting**
 hypocitricemia, citrate handling, renal, F307
 phosphaturia, F241
 phosphorus reabsorption, tubular, F241
- Fatty acids
 ammoniogenesis inhibition, fluoroacetate and, F7
 medium chain, transport and metabolism, perfused kidney, F210
- Feedback
 macula densa, renal vascular resistance and, F204
 stop-flow pressure, responses during reduced renal vascular resistance, F204
 tubuloglomerular, renal vascular resistance and, F214
 tubuloglomerular, single nephron glomerular filtration rate, autoregulation, F63
 tubuloglomerular, tubular obstruction and, F379
- Filtrate
 glomerular, transtubular leakage, renal failure, F319
- Filtration
 autoregulation, renal, F479
- Filtration, glomerular
 angiotensin II formation, chronic blockade, F424
 spontaneous hypertension, F38
 urinary concentrating ability, F100
 vasopressin effects, acute and chronic, F232
- Filtration, single nephron
 autoregulation, feedback mediation, F63
 deoxycorticosterone acetate loading, F63
 hydropenia, F63
 salt loading, F63
- Flow techniques
 electromagnetic, blood flow and filtration rate autoregulation, F479
- Fluid
 absorption, heterogeneity, renal, F312
 balance, collecting tubule, F247
 cerebrospinal, nonpressor central nervous system natriuresis, F157
 chloride concentration, distal tubular, single nephron glomerular filtration and, F63
 extracellular, volume: *see* Volume

Fluid (*continued*)

isotonic, absorption, chloride flux and, proximal straight tubules, F455
isotonic, absorption, paracellular component, proximal straight tubule, F455

transport, epithelial, optical techniques for evaluation, F167
volume: *see* Volume

Fluorescence

optical, epithelial transport processes, F167

Fluoroacetate

fatty acid inhibitory action on ammoniogenesis, F57
ketone body inhibitory action on ammoniogenesis, F7

Furosemide

renal blood flow and renin release responses to hypertonic saline, F441

G Genetic hypertension: *see* Hypertension

Glomerular basement membrane

proteinuria, norepinephrine- and angiotensin-induced, F133

Glomerular blood flow: *see* Blood flowGlomerular capillary pressure: *see* Pressure

Glomerular count

renin release, regional renal, F188

Glomerular filtration: *see* Filtrate;

Filtration

Glomerular function

kidney tubule obstruction, F379

Glomerular marker: *see* MarkersGlomerular pressure: *see* Pressure

Glomerulus

vitamin B₁₂ uptake, postglomerular, F25

Gluconeogenesis

fluoroacetate and renal, F7

Glucose

absorption, heterogeneity, renal, F312

D-Glucose-6-phosphatase

sodium restriction on renin, renal, F367

Glutamate

ammoniogenesis and, renal, F7
metabolism, regulation, renal cortical mitochondria, F55

Glutamate oxaloacetate transaminase

renal cortical mitochondria, F55

Glutamine

ammoniogenesis and, renal, F7
metabolism, arsenite effects, renal slices, F93

Growth: *see also* development

renal, urinary stimulators, F299

H Heavy metal: *see* Metals

Hemodynamics, renal

bradykinin-induced alterations, F433
nonpressor central nervous system natriuresis, F157

volume expansion, neonatal, F392

Henle's loop

reabsorption, spontaneous hypertension, F38

Henle's loop, function

lumen volume, F196
pressure, F196
physical factors, R196
transit time, F196
salt and water absorption, F196

Heterogeneity

fluid, phosphate, and glucose absorption, renal, F312
nephrons, F34

High-pressure liquid chromatography: *see*

Chromatography

Hormonal regulation

chloride, active transport, rectal gland (dogfish), F138

Hydropenia

single nephron glomerular filtration rate, feedback-mediated autoregulation, F63

Hypercalciuria

absorptive, physiological basis, F415

renal, physiological basis, F415

Hyperoncotic albumin: *see* Albumin

Hyperphosphatemia

ureteral obstruction, release, F14

Hypertension

genetic, renal tubular reabsorption, F38

renal, saralasin reversal of intrarenal

angiotensin II effects, F386

spontaneous, renal tubular reabsorption, F38

spontaneous, vascular resistance and

reactivity, renal, F128

Hypertonic saline: *see* Saline

Hypertoncity

serosal, urinary bladder (frog), F483

Hypertrophy

renal, compensatory, protein synthesis and, F299

Hypocitricemia

citrate, renal handling, F307

I Indomethacin

renal blood flow and renin release responses to hypertonic saline, F441

renin release and renal vasodilation, dissociation, F20

Innervation

renal, anatomy, F333

Insulin

parathyroid hormone resistance, F175

Interferometry

epithelial transport processes, F167

Inulin

clearance, fractional, renal failure, F319
extraction, renal renin release and, F188

Isoproterenol

cortical tubules, isolated, F350

Isotonic fluid: *see* FluidIsotopes: *see* specific subject and site**J** Juxtaglomerular apparatus

anatomy, F333

Juxtaglomerular cell

renin release, prostaglandins I₂- and D₂-stimulated, F285

tumor, F333

Juxtamedullary nephron: *see* Nephron**K** Kallikrein-kinin system

bradykinin, natriuretic action, F182

prostaglandins, renal, F182

 α -Ketoglutarate

arsenite effects, renal tissue slices, F93
metabolism, renal cortical mitochondria, F55

Ketone bodies

ammoniogenesis inhibition, fluoroacetate and, F7

Kidney

p-aminohippuric acid secretion (flounder), F291

p-aminohippuric acid transport, brush

border vesicles (flounder), F291

α -aminoisobutyric acid, net reabsorption, F274

ammoniogenesis: *see* Ammoniogenesis

angiotensin: *see* Angiotensin

autoregulation: *see* Autoregulation;

Blood flow

baroreceptors: *see* Receptors

blood flow: *see* Blood flow

citrate handling, hypocitricemia, F307

denervated and intact, saline load

effects, F262

denervation, diuresis and, F262

development, F392

dibutyladenosine monophosphate,

metabolism, F75

electrolyte excretion, prostaglandin E₂

and, F344

excretion, volume expansion and,

neonatal, F392

extracellular volume expansion: *see*

Volume expansion

gluconeogenesis, fluoroacetate and, F7

growth, urinary stimulators, F299

hemodynamics: *see* Hemodynamics

heterogeneity, fluid, phosphate, and

glucose absorption, F312

hypercalciuria: *see* Hypercalciuria

hypertrophy: *see* Hypertrophy

innervation, anatomy, F333

juxtaglomerular apparatus, anatomy,

F333

kallikrein-kinin system: *see* Kallikrein-

kinin system

lead excretion and accumulation, acid-

base status, F398

lead handling, F398, F408

lead handling, stop-flow analysis, F408

lead, toxicology, F398, F408

metabolism, tissue slices, arsenite effects,

F93

metabolism, tissue slices, chronic

metabolic acidosis and alkalosis, F03

octanoate transport and metabolism,

F210

oxygen consumption, ammoniogenesis

and, F7

perfusion pressure, blood flow and

filtration rate autoregulation, F479

plasma flow: *see* Plasma flow

postocclusive vasoconstriction, adenosine

and, F463

postocclusive vasoconstriction, blockade,

by angiotensin II antagonist, F463

prostaglandins: *see* Prostaglandins

protein synthesis, urinary, stimulators,

F299

renin: *see* Renin

sodium reabsorption, neonatal, F392

vascular reactivity, spontaneous

hypertension, F128

vascular resistance: *see* Resistance

vasodilation: *see* Vasodilation

vasomotor interrelationships, bradykinin

and, F433

venous pressure, stop-flow pressure

feedback responses, F204

vitamin B₁₂ uptake as extracellular

marker, F25

volume depletion, prostaglandin E₂ and,

F344

volume expansion: *see* Volume expansion

Kidney cells, tubular

plasma membrane, isolated, calcium

transport, F1

- Kidney cortex
glutamate metabolism, regulation, mitochondrial, F55
prostaglandin E₂ biosynthesis, F344
tubules: *see* Kidney tubules, cortical
- Kidney failure
dextran clearance, fractional, F319
glomerular filtrate, transtubular leakage, F319
inulin leakage, fractional, F319
macromolecule clearance, F319
- Kidney medulla
erythrocyte velocity, vasa recta, F326
prostaglandin E₂ biosynthesis, F344
- Kidney papilla
cyclic AMP content, vasopressin effects, F218
erythrocyte velocity, vasa recta, F326
plasma flow, potassium deficiency effects, F226
- Kidney tubules
backleak, renal failure, F319
obstruction, glomerular function and, F379
phosphorus reabsorption, fasting effects, F241
reabsorption, single nephron glomerular filtration and, F63
sieving coefficients, renal failure, F319
single, sodium-potassium-ATPase activity, F105, F114
- Kidney tubules, collecting
fluid balance and, F247
medullary, phosphate transport, F48
potassium balance, F247
sodium balance, F247
- Kidney tubules, cortical
aldosterone receptors, distribution, F360
isolation, enriched by proximal and distal segments, F350
preparative separation, F350
- Kidney tubules, distal
chloride concentration, fluid, single nephron glomerular filtration and, F63
- Kidney tubules, proximal
bicarbonate reabsorption, acetazolamide effects, F447
bidirectional transport, F85
chloride gradient, volume expansion-induced alterations, F473
isolated micropperfused, prostaglandin E₂ secretion, F268
reabsorption, spontaneous hypertension, F38
sodium reabsorption, hyperoncotic albumin and, F34
transport inhibitors, F268
- Kidney tubules, proximal convoluted
fluid, phosphate, and glucose absorption, heterogeneity, F312
prostaglandin E₂ secretion, F268
urate transport, F85
- Kidney tubules, proximal straight
prostaglandin E₂ secretion, F268
superficial, chloride ions, flux, solvent drag component, F455
superficial, chloride ions, flux, paracellular component of isotonic fluid absorption, F455
- Krebs cycle
inhibition, ammoniogenesis, renal, F7
- L**ead
accumulation, acid-base status and, renal, F398
- excretion, acid-base status and, renal, F398
renal handling, F398, F408
stop-flow analysis, renal, F408
trace elements, renal, F398, F408
- Leakage
glomerular filtrate, renal failure, F319
- Liquid chromatography: *see* Chromatography
- Load, loading
DOCA: *see* Deoxycorticosterone acetate
saline: *see* Saline
salt: *see* Salt
sodium: *see* Sodium
- Loop
Henle's: *see* Henle's loop
- M**acromolecules
clearance, renal failure, F319
- Macula densa
anatomy, F333
feedback: *see* Feedback
single nephron glomerular filtration rate, autoregulation, F63
- Markers
extracellular, vitamin B₁₂ uptake, kidney, F25
glomerular, vitamin B₁₂, F25
- Meclofenamate
bradykinin-induced renal hemodynamic alterations, F433
bradykinin, natriuretic action, F182
postocclusive renal vasoconstriction blockade by angiotensin II antagonist, F463
prostaglandins, renal, and bradykinin action, F182
renin release and renal vasodilation, dissociation, F20
- Medullary collecting duct: *see* Kidney tubules, collecting
- Membranes
glomerular basement, proteinuria, norepinephrine- and angiotensin-induced, F133
plasma, tubular cells, calcium transport, F1
- Mesangium
extraglomerular, anatomy, F333
- Metabolic acidosis: *see* Acidosis
- Metabolic alkalosis: *see* Alkalosis
- Metabolism: *see* specific subject and site
- Metals
heavy, renal handling, F398, F408
- Methohexital
adenylate cyclase inhibition, bladder (toad), F372
- Methoxyflurane
adenylate cyclase inhibition, bladder (toad), F372
- Microcalorimetry
bicarbonate reabsorption, proximal tubule, F447
- Microcatheterization
collecting tubule, role in fluid, sodium, and potassium balance, F247
phosphate transport, medullary collecting duct, F48
- Microcirculation
erythrocyte velocity, vasa recta, F326
- Microdissection
nephron, sodium-potassium-ATPase activity, F105, F114
- Microenzymatic technique
sodium-potassium-ATPase activity, F105, F114
- Micropuffusion
calcium transport, nephron, F1
collecting tubule, role in fluid, sodium, and potassium balance, F247
prostaglandin E₂ secretion, proximal tubules, F268
- Microprobes
electron, calcium transport analysis, nephron, F1
- Micropuncture
calcium transport, nephron, F1
collecting tubule, role in fluid, sodium, and potassium balance, F247
glomerular function, tubular obstruction, F379
sodium transport, hyperoncotic albumin effects, nephrons, F34
stop-flow pressure feedback responses, renal, F204
- Microscopy
light, epithelial transport processes, F167
video, erythrocyte velocity, vasa recta, F326
- Microspheres
nonradioactive, glomerular function, tubular obstruction and, F379
- Mineralocorticoid receptors: *see* Receptors
- Mitochondria
renal cortex, glutamate metabolism, regulation, F55
- Models
Henle's loop function, computer simulation, F196
optical techniques for evaluation of epithelial transport processes, F167
renal protein synthesis in urine, stimulators, F299
- N⁶-Monobutyladenosine: *see* Adenosine
- Mucosa: *see* site
- N**atriuresis
bradykinin action, renal prostaglandins and, F182
central nervous system-induced nonpressor mechanisms, F157
proteinuria, angiotensin- and norepinephrine-induced, F133
- Natriuretic hormone
nonpressor central nervous system natriuresis, F157
- Nephrectomy
phosphate transport, medullary collecting duct, F48
protein synthesis, F299
- Nephrolithiasis
hypercalciuria, F415
- Nephron
bidirectional transport, F85
calcium transport, F1
distal, urate transport, F85
filtration: *see* Filtration
heterogeneity, F34, F312
juxtaglomerular, sodium transport, hyperoncotic albumin and, F34
juxtamedullary, fluid, phosphate, and glucose absorption, heterogeneity, F312
juxtamedullary, papillary plasma flow, potassium deficiency effects, F226
single segments, sodium-potassium-ATPase activity, F105
sodium-potassium-ATPase activity, F105, F114
stop-flow pressure, tubular obstruction,

- Nephron (*continued*)
 F379
 superficial, fluid, phosphate, and glucose absorption, heterogeneity, F312
 superficial, sodium transport, hyperoncotic albumin and, F34
- Newborn
 volume expansion, renal, hemodynamic and excretory response, F392
- Nonpressor mechanisms
 central nervous system-induced natriuresis, F157
- Norepinephrine
 proteinuria, corticoid effects, F133
- Nucleotides, cyclic
 metabolism, isolated perfused kidney, F75
- O**struction
 kidney tubule, glomerular function, F379
 ureteral: *see* Ureteral obstruction
- Octanoate
 metabolism, perfused kidney, F210
 transport, perfused kidney, F210
- Optical techniques
 epithelial transport processes, evaluation, F167
- Organic acid
 transport system, renal, F210
- Organic anions: *see* Anions
- Osmolarity
 plasma, vasopressin effects, F232
- Osmoreceptors: *see* Receptors
- Ouabain
 potassium ion transport, bladder (toad), F145
 sodium-potassium-ATPase activity, rectal gland (dogfish), F468
- Oxygen consumption
 renal, ammoniogenesis and, F7
- P**apilla, renal: *see* Kidney papilla
- Papillary collecting duct: *see* Kidney tubules, collecting; Kidney papilla
- Parathyroid hormone
 cortical tubules, isolated, F350
 cyclic AMP content following vasopressin, F218
 phosphate transport, medullary collecting duct, F48
 phosphaturia, fasting, F241
 phosphaturia, postobstructive, ureteral, F14
 phosphaturic effect, resistance, F175
- Pars recta
 urate transport, F85
- Particle aggregates
 intramembranous, urinary bladder (frog), F483
- Peptides
 vasoactive intestinal, chloride transport, rectal gland (dogfish), F138
- Perfusion: *see* specific subject and site; *also* Micropertusion
- Permeability
 water, pH effects, bladder (frog), F483
- pH
 mucosal and serosal, antidiuretic effects, bladder (frog), F483
- Pharmacology: *see* specific subject and site
- Phenobarbital
 adenylate cyclase inhibition, bladder (toad), F372
- Phentolamine
 renal blood flow and renin release responses to hypertonic saline, F441
- Phosphate
 absorption, heterogeneity, renal, F312
 excretion, medullary collecting duct, F48
 transport, inner medullary collecting duct, F48
- Phosphaturia
 fasting, F241
 postobstructive, ureteral, F14
- Phosphaturic effect
 parathyroid hormone, resistance, F175
- Phosphodiesterase
 anesthetic-induced adenylate cyclase inhibition, bladder (toad), F372
- Phosphorus
 reabsorption, tubular, fasting effects, F241
- Photometry
 epithelial transport processes, F167
- Physiology
 comparative: *see* Species differences
- Plasma
 constituents: *see* specific substance and site
 osmolality, vasopressin effects, F232
- Plasma flow
 effective renal, vasopressin effects, F232
 papillary, potassium deficiency effects, F226
- Plasma membranes: *see* Membranes
- Postocclusive vasoconstriction
 renal, blockade by angiotensin II antagonist, F463
- Potassium: *see also* Sodium-potassium-ATPase
 balance, collecting tubule, F247
 deficiency, papillary plasma flow, F226
 intracellular, rectal gland (dogfish), F468
- Potassium ions
 transport, bladder, amphotericin B and (toad), F145
- Potential difference
 electrochemical, *p*-aminohippuric acid transport, brush border vesicles (flounder), F291
 fluid, sodium, and potassium balance, collecting tubules, F247
- Potential gradient
 electrochemical, chloride ions, proximal straight tubule, F455
- Pressure: *see also* Blood pressure
 arterial, renal, spontaneous hypertension, F38
 capillary, glomerular, tubular obstruction and, F379
 capillary, renal tubular, spontaneous hypertension, F38
 glomerular, feedback responses during reduced renal vascular resistance, F204
 Henle's loop, effects, F196
 perfusion, renal, blood flow and filtration rate autoregulation, F479
 stop-flow, feedback responses during renal vascular resistance, F204
 stop-flow, nephron, tubular obstruction, F379
 venous, renal, feedback responses, F204
- Probenecid
 urate transport, nephron, F85
- Progesterone
 aldosterone receptors, distribution, cortical tubules, F360
- Proline
 α -aminoisobutyric acid reabsorption, renal, F274
- Prostacyclin: *see* Prostaglandin I₂
- Prostaglandin D₂
 renin release, filtering and nonfiltering kidney, F285
- Prostaglandin E₂
 biosynthesis, renal, stimulation by dietary sodium restriction, F344
 secretion, proximal tubules, F268
- Prostaglandin I₂
 renin release, filtering and nonfiltering kidney, F285
- Prostaglandin inhibitors
 renin release and renal vasodilation, dissociation, F20
- Prostaglandins
 bradykinin, natriuretic action, renal, F182
 renin and, relationships, in bradykinin-induced renal hemodynamic alterations, F433
- Protein
 synthesis, urinary, slowly dialyzable stimulators, renal, F299
- Protein kinase
 postobstructive phosphaturia, ureteral, F14
- Proteinuria
 angiotensin-induced, corticoid effects, F133
 norepinephrine-induced, corticoid effects, F133
- Pump
 chloride ions, cornea (frog), F121
- Pyrazinoic acid
 urate transport, nephron, F85
- R**adionuclide studies: *see* specific subject and site
- Reabsorption: *see* specific subject and site
- Receptors
 aldosterone, distribution in cortical tubules, F360
 baroreceptors, intrarenal, renin release, prostaglandin-stimulated, F285
 mineralocorticoid, cortical tubules, F360
 osmoreceptors, nonpressor central nervous system natriuresis, F157
 sodium, nonpressor central nervous system natriuresis, F157
- Rectal gland
 chloride transport, hormonal regulation (dogfish), F138
 sodium-potassium-ATPase enhancement (dogfish), F468
- Reinfusion
 urine: *see* Urine
- Renin
 granules, renal, sodium restriction, F367
 half-life, F188
 juxtaglomerular apparatus, F333
 nonpressor central nervous system natriuresis, F157
 plasma activity, postocclusive renal vasoconstriction blockade, F463
 plasma activity, renal, sodium restriction, F367
 plasma activity, vasopressin effects, F232
 prostaglandin and, relationships, in bradykinin-induced renal hemodynamic alterations, F433
 release, hypertonic saline effects, F441
 release, prostaglandins I₂- and D₂-stimulated, filtering and nonfiltering kidneys, F285
 release, regional, renal, in vitro and in vivo, R188

- release, renal vasodilation and, dissociation by prostaglandin inhibitors, F20
- secretion, prostaglandin-stimulated, filtering and nonfiltering kidney, F285
- subcellular fractionation, sodium restriction, F367
- tissue content, renal, renin release and, F188
- Renin-angiotensin system
- intrarenal effects, saralasin reversal, F386
 - sodium deprivation, F424
- Renin-angiotensin-aldosterone system
- volume expansion, renal, neonatal, F392
- Resistance, vascular
- renal, spontaneous hypertension, F128
 - renal, stop-flow pressure feedback responses, F204
- Saline**
- diuresis, denervated and intact kidney, F262
 - hypertonic, renal blood flow, F441
 - hypertonic, renin release, F441
 - load, denervated and intact kidney, F262
 - loading, erythrocyte velocity, vasa recta, F326
 - loading, renal, hemodynamic and excretory response, neonatal, F392
- Salt
- absorption, Henle's loop, F196
 - loading, single nephron glomerular filtration rate, feedback-mediated autoregulation, F63
- Saralasin: *see* Angiotensin antagonists
- [Sar¹, Ile⁸]angiotensin II: *see* Angiotensin antagonists
- Serosa: *see* site
- Short-circuit current: *see* Current
- Sieving coefficients
- tubular, renal failure, F319
- Sodium
- balance, collecting tubule, F247
 - deprivation, angiotensin II formation, blockade, F424
 - intracellular, rectal gland (dogfish), F468
 - loading, blood flow and renin release, renal, F441
 - reabsorption, renal, neonatal, F392
 - receptors: *see* Receptors
 - restriction, prostaglandin E₂ biosynthesis, renal, F344
 - restriction, renin activity, plasma, renal, F367
 - restriction, renin granules, renal, F367
 - transport, hyperoncotic albumin effects, nephrons, F34
- Sodium excretion
- angiotensin II formation, blockade, F424
 - bradykinin, natriuretic action, F182
 - denervated and intact kidney, F262
 - prostaglandins, renal, F182
 - spontaneous hypertension, F38
- Sodium ions
- isotope exchange, bladder (toad), F145
- Sodium-potassium-ATPase
- activity, nephron, F105, F114
 - enhancement, rectal gland (dogfish), F468
- Sodium space
- vasopressin effects, F232
- Solvent drag
- chloride flux, superficial proximal straight tubules, F455
- Somatostatin
- chloride transport, rectal gland (dogfish), F138
- Species differences
- sodium-potassium-ATPase activity, F105, F114
 - urate transport, nephron, F85
- Spontaneous hypertension: *see* Hypertension
- SQ 14225: *see* Converting enzyme inhibitors
- SQ 20881
- renal blood flow and renin release responses to hypertonic saline, F441
- Starvation: *see* Fasting
- Steroids
- affinities, cortical tubules, F370
- Stop-flow analysis
- lead handling, renal, F408
- Stop-flow pressure: *see* Pressure
- Succinate dehydrogenase
- sodium restriction on renin, renal, F367
- Sucrose
- density gradient centrifugation, sodium restriction on renin, F367
- Theophylline**
- chloride transport, rectal gland (dogfish), F138
- Thromboxane A₂
- capillary plasma flow, potassium deficiency effects, F226
- Tissue: *see* specific subject and site
- Toxicology
- lead, renal, F398, F408
- Trace elements: *see* specific subject and site
- Triamcinolone
- aldosterone receptors, distribution, cortical tubules, F360
- Tubules, renal: *see* Kidney tubules
- Tubuloglomerular feedback: *see* Feedback
- Tumor
- juxtaglomerular cell, F333
- Urate**
- transport, nephron, F85
- Ureteral obstruction
- glomerular function, F379
 - protein synthesis, F299
 - release, phosphaturia following, F14
- Urinary bladder
- anesthetic-induced adenylate cyclase inhibition (toad), F372
 - bioelectric properties, transmural (toad), F145
 - flux, asymmetry (toad), F145
 - paracellular potassium ion-selective path (toad), F145
 - pH, mucosal and serosal, antidiuretic effect (frog), F483
 - potassium ions transport, amphotericin B and (toad), F145
- Urinary concentration
- hydration, F100
 - potassium deficiency effects, F226
 - vasopressin, absence of, F100
- Urine
- constituents: *see* specific constituent
- refusion, renal growth stimulation, F299
- Urine flow
- bradykinin, natriuretic action, F182
 - prostaglandins, renal, and, F182
- Vasa recta**
- erythrocyte velocity: *see* Erythrocytes
- Vascular reactivity
- renal, spontaneous hypertension, F128
- Vascular resistance: *see* Resistance
- Vasoactive intestinal peptide: *see* Peptides
- Vasoconstriction
- postocclusive, renal, blockade by angiotensin II antagonist, F463
- Vasodilation
- renal, renin release and, dissociation by prostaglandin inhibitors, F20
- Vasomotor interrelationships
- kidney, bradykinin and, F433
- Vasopressin: *see also* Antidiuretic hormone
- absence, urinary concentrating ability, F100
 - anesthetic-induced adenylate cyclase inhibition, bladder (toad), F372
 - blood pressure, acute and chronic effects, F232
 - cortical tubules, isolated, F350
 - cyclic AMP content, plasma, urine, and renal papillary, F218
 - 1-deamino-8-D-arginine-, cyclic AMP content, plasma, urine, and renal papillary, F218
 - electrolytes, acute and chronic effects, F232
 - fluid volume, acute and chronic effects, F232
- Venous pressure: *see* Pressure
- Vitamin B₁₂
- uptake, renal, as extracellular marker, F25
- Vitamin D
- hypercalciuria, F415
- Video microscopy
- erythrocyte velocity, vasa recta, F326
- Video techniques
- epithelial transport processes, F167
- Volume
- depletion, renal, prostaglandin E₂ and, F344
 - extracellular fluid, spontaneous hypertension, F38
 - fluid, vasopressin effects, acute and chronic, F232
- Volume expansion
- chloride gradient, proximal tubular alterations, F473
 - erythrocyte velocity, vasa recta, F326
 - excretory response, renal, neonatal, F392
 - extracellular, denervated and intact kidney, F262
 - hemodynamic response, renal, neonatal, F392
- Water**
- absorption, Henle's loop, F196
 - diuresis, erythrocyte velocity, vasa recta, F326
 - permeability, bladder, pH effects (frog), F483

Author Index to Volume 6

- Abe, R., F367
 Alexander, E. A., F48
 Andreoli, T. E., F455
 Arendshorst, W. J., F38
 Attallah, A. A., F344

 Barajas, L., F333
 Baines, A. D., F196
 Basmajian, D., F196
 Bauman, J. W., Jr., F133
 Baverel, G., F7
 Beck, N., F14, F241
 Beierwaltes, W. H., F38
 Bell, P. D., F204
 Bengele, H. H., F48
 Best, C. F., F299
 Bia, M. J., F218
 Blackshear, J. L., F20
 Blantz, R. C., F386
 Blasingham, M. C., F182
 Blafox, M. D., F392
 Bloch, D. L., F344
 Bourgoignie, J. J., F157
 Bourguet, J., F483
 Branch, R. A., F441
 Brazy, P. C., F312
 Brody, M. J., F128

 Chevalier, J., F483
 Chui, F., F319
 Cogan, M. G., F447
 Coleman, T. G., F424
 Costello, L. C., F307
 Coulson, R., F75
 Cowley, A. W., Jr., F232

 Davis, J. O., F285
 DeForrest, J. M., F285
 Dennis, V. W., F312
 Dewitt, S., F218
 Doucet, A., F105, F114
 Drukker, A., F392

 Edelman, I. S., F350, F360
 Edelmann, C. M., Jr., F392

 Edwards, B. R., F100
 Epstein, F. H., F138, F468
 Eveloff, J., F291

 Fink, G. D., F128
 Finn, A. L., F145
 Flamenbaum, W., F433
 Forrest, J. N., Jr., F218
 Freeman, R. H., F285
 Fukuhara, A., F367

 Gagnon, J., F433
 Galla, J. H., F473
 Gatz, J. T., F145
 Gellai, M., F100
 Gellert, R., F262
 Gerber, J. G., F441
 Gerkens, J. F., F441
 Gold, A. J., F307
 Goldsmith, D. I., F392
 Gougoux, A., F7
 Gussis, G. L., F326
 Guyton, A. C., F232, F424

 Hall, J. E., F424
 Hallac, R., F138
 Harrington, W. W., F75
 Harris, C. A., F175
 Harris, R. H., F299
 Hecker, J., F93
 Hilberman, M., F319
 Hollifield, J. W., F441

 Irish, J. M., III, F268

 Jamison, R. L., F247, F326
 Jones, S. M., F188

 Katz, A. I., F105, F114
 Kinne, R., F291
 Kinter, W. B., F291
 Knox, F. G., F20
 Kunau, R. T., Jr., F226
 Kunin, A. S., F55
 Kurkus, J., F262
 Kutschinski, S. S., F157

 Lechene, C. P., F48
 Lee, J. B., F344
 Lemieux, G., F7
 Levine, S. D., F372
 Lin, E. T., F447
 Luke, R. G., F473

 Maddox, D. A., F447
 Manning, R. D., Jr., F232
 Mathias, N. P., F157
 McInnes, R. R., F274
 McKeown, J. W., F312
 Michaels, A. S., F319
 Mishina, T., F360
 Moore, L. C., F63
 Morel, F., F105, F114
 Morimoto, S., F367
 Mouw, D. R., F157, F398, F408
 Myers, B. D., F319

 Nasjletti, A., F182
 Navar, L. G., F204
 Nies, A. S., F441

 Onwochei, M., F307
 Osgood, R. W., F34
 Osswald, H., F463
 Ott, C. E., F479

 Pak, C. Y. C., F415
 Parisi, M., F483

 Ramwell, P., F433
 Rector, F. C., Jr., F447
 Reineck, H. J., F34, F241
 Reuss, L., F145
 Robertson, C. R., F326
 Romero, J. C., F20
 Rosa, R., F138
 Rowe, B. P., F285

 Sadowski, J., F262
 Schafer, J. A., F455
 Schlondorff, D., F372
 Schnermann, J., F63
 Scholer, D. W., F350, F360

 Scriver, C. R., F274
 Seely, J. F., F175
 Seymour, A. A., F285
 Silva, P., F138, F468
 Silverman, M., F25
 Simpson, D. P., F93
 Smith, M. J., Jr., F232, F424
 Sonnenberg, H., F247
 Spielman, W. S., F20, F463
 Spinowitz, B. S., F121
 Spitzer, A., F392
 Spring, K. R., F167
 Stahl, R. A. K., F344
 Stein, J. H., F34, F247
 Steiner, R. W., F386
 Stoff, J., F138, F468
 Suki, W. N., F1

 Tanaka, K., F367
 Tannen, R. L., F55
 Tanner, G. A., F379
 Torretti, J., F188
 Trimble, M. E., F210
 Troutman, S. L., F455

 Valtin, H., F100
 Vander, A. J., F157, F398, F408
 Vari, R. C., F479
 Victory, W., F398, F408
 Vinay, P., F7

 Wang, B.-C., F196
 Warnock, D. G., F447
 Watkins, M. L., F455
 Weber, H., F372
 Webster, S. K., F241
 Weinberger, S. F., F188
 Weiner, I. M., F85
 Whinnery, M. A., F226
 Williams, G. M., F285
 Williams, J. S., F188

 Yamamoto, K., F367
 Yarimizu, S., F63

 Zadunaisky, J. A., F121

American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

VOLUME 6, July-December 1979

Editor: T. E. ANDREOLI

Associate Editor: F. S. WRIGHT

Editorial Board:

B. M. BRENNER
W. H. DANTZLER
T. P. DOUSA
J. S. HANDLER

F. G. KNOX
T. MAACK
D. J. MARSH

R. W. SCHRIER
M. WALSER
D. G. WARNOCK

***Publications Committee of the
American Physiological
Society***

A. P. FISHMAN, *Chairman*
R. M. BERNE
H. E. MORGAN

S. R. GEIGER
*Publications Manager and
Executive Editor*

B. B. RAUNER
Production Manager

W. A. SONNENBERG
Business Manager

A. RAEFSKY
Copy Editor

Published monthly by
THE AMERICAN PHYSIOLOGICAL SOCIETY
9650 Rockville Pike, Bethesda, MD 20014

Copyright © 1979 by the American Physiological Society. Printed in the United States of America by Waverly Press, Inc., Baltimore, MD 21202. The code at the bottom of the first page of an article indicates the copyright owner's consent that copies of an article may be made beyond that permitted by sections 107 and 108 of the U.S. Copyright Law—unless the copies are for general distribution, for advertising, for creating new works, or for resale—provided the per-copy fee is paid through the Copyright Clearance Center, Inc., Operations Center, P.O. Box 765, Schenectady, NY 12301.

Guest Referee Editors

The Publications Committee of the American Physiological Society gratefully acknowledges the services of the following guest referee editors who assisted the Editorial Board in the reviews of manuscripts.

S. Adler	R. DeFronzo	J. D. Humes	W. A. Pettinger
Z. S. Agus	V. W. Dennis	M. H. Humphreys	D. W. Ploth
Q. Al-Awqati	J. M. Diamond	I. Ichikawa	L. Rabinowitz
E. A. Alexander	D. R. DiBona	H. R. Jacobson	F. C. Rector, Jr.
G. A. O. Alleyne	G. F. DiBona	R. L. Jamison	E. M. Renkin
O. Andersen	T. DuBose	A. I. Katz	B. R. Rennick
R. J. Anderson	B. R. Duling	M. L. Kauker	C. Robertson
W. J. Arendshorst	M. J. Dunn	H. R. Keiser	G. L. Robertson
A. I. Arieff	I. S. Edelman	L. B. Kirschner	S. G. Rostand
P. Aronson	G. Eknayan	S. Klahr	G. Sachs
M. Bailie	F. H. Epstein	L. I. Kleinman	H. Sackin
N. Bank	M. D. Epstein	J. P. Kokko	B. Sacktor
L. Barajas	A. Essig	T. A. Kotchen	W. H. Sawyer
D. W. Barfuss	D. D. Fanestil	L. R. Krakoff	J. A. Schafer
P. Barrett	T. F. Ferris	R. T. Kunau	D. Schlondorff
N. Beck	M. Field	N. A. Kurtzman	B. Schmidt-Nielsen
R. Beeuwkes III	L. G. Fine	M. A. Lang	J. C. Schooley
C. J. Bentzel	A. L. Finn	W. E. Lassiter	G. Schwartz
M. Bergeron	W. F. Finn	A. Leaf	S. Segal
T. Berl	W. Flamenbaum	J. B. Lee	G. R. Shareghi
R. W. Berliner	J. N. Forrest	J. Lemann, Jr.	G. Sharp
R. M. Berne	J. C. S. Fray	S. D. Levine	P. Silva
C. Berry	R. H. Freeman	M. Levy	M. Silverman
K. W. Beyenbach	E. D. Freis	J. E. Lewy	D. P. Simpson
B. Biagi	E. Fromter	M. D. Lifschitz	L. M. Slotkoff
T. U. L. Biber	R. A. Frizzell	M. S. Lucci	A. K. Solomon
J. R. Blair-West	J. H. Galla	R. G. Luke	H. Sonnenberg
R. C. Blantz	J. L. Gamble	D. A. Maddox	W. S. Spielman
E. L. Boulpaep	F. J. Gennari	G. Malnic	K. Spring
J. J. Bourgoignie	G. H. Giebisch	R. L. Malvin	T. H. Steele
P. H. Brand	J. R. Gill, Jr.	L. J. Mandel	P. R. Steinmetz
E. J. Braun	A. Gillies	T. H. Maren	J. R. Stephenson
E. H. Bresler	J. P. Gilmore	M. Martinez-Maldonado	P. Stern
J. R. Briggs	S. Goldfarb	K. M. McDonald	B. J. Stinebaugh
W. A. Brodsky	L. Goldstein	A. Meister	N. Stowe
F. Bruns	C. W. Gottschalk	F. Mendelsohn	W. N. Suki
J. Buerkert	J. J. Grantham	U. R. Michael	R. A. L. Sutton
M. F. Bumpus	R. B. Gunn	W. C. Miller	R. L. Tannen
M. B. Burg	F. J. Haddy	B. S. Misanko	G. Tanner
T. J. Burke	J. E. Hall	F. Morel	A. E. Taylor
P. Cannon	M. R. Hammerman	B. D. Myers	J. Torretti
O. A. Carretero	M. Hanley	R. G. Narins	H. Valtin
S. Carriere	J. A. Hass	L. G. Navar	E. D. Vaughan
L. Churchill	R. M. Hays	A. S. Nies	J. Wade
J. W. Coburn	J. P. Hayslett	L. Norby	I. M. Weiner
J. J. Cohen	S. C. Hebert	H. F. Oates	E. J. Weinman
R. E. Colindres	S. I. Helman	D. E. Oken	T. Welbourne
J. D. Conger	L. W. Henderson	R. G. O'Neil	D. J. Welling
R. M. Culpepper	J. T. Higgins, Jr.	S. Oparil	L. W. Welling
R. Curry	L. Hokin	R. W. Osgood	E. E. Windhager
N. P. Curthoys	U. Hoyer	M. Peaker	E. M. Wright
B. B. Davis	H. N. Hulter	G. L. Peterson	J. A. Zadunaisky
J. O. Davis			



American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

No. 1. JULY 1979

EDITORIAL REVIEW

Calcium transport in the nephron <i>W. N. Suki</i>	F1
<hr/>	
Effect of fluoroacetate on the inhibitory action of ketone bodies and fatty acids on renal ammoniogenesis <i>G. Lemieux, G. Baverel, P. Vinay, and A. Gougoux</i>	F7
Phosphaturia after release of bilateral ureteral obstruction in rats <i>N. Beck</i>	F14
Dissociation of renin release and renal vasodilation by prostaglandin synthesis inhibitors <i>J. L. Blackshear, W. S. Spielman, F. G. Knox, and J. C. Romero</i>	F20
Vitamin B ₁₂ uptake in dog kidney: its use as an extracellular reference marker <i>M. Silverman</i>	F25
Effect of hyperoncotic albumin on superficial and juxtamedullary nephron sodium transport <i>R. W. Osgood, H. J. Reineck, and J. H. Stein</i>	F34
Renal tubular reabsorption in spontaneously hypertensive rats <i>W. J. Arendshorst and W. H. Beierwaltes</i>	F38
Phosphate transport along the inner medullary collecting duct of the rat <i>H. H. Bengel, C. P. Lechene, and E. A. Alexander</i>	F48
Regulation of glutamate metabolism by renal cortical mitochondria <i>A. S. Kunin and R. L. Tannen</i>	F55
Feedback mediation of SNGFR autoregulation in hydropenic and DOCA- and salt-loaded rats <i>L. C. Moore, J. Schnermann, and S. Yarimizu</i>	F63
Renal metabolism of N ⁶ ,O ^{2'} -dibutyl adenosine 3',5'-monophosphate <i>R. Coulson and W. W. Harrington</i>	F75

No. 2. AUGUST 1979

EDITORIAL REVIEW

Urate transport in the nephron <i>I. M. Weiner</i>	F85
<hr/>	
Effects of arsenite on renal tissue slice metabolism in chronic metabolic acidosis and alkalosis <i>D. P. Simpson and J. Hecker</i>	F93
Urinary concentrating ability during dehydration in the absence of vasopressin <i>M. Gellai, B. R. Edwards, and H. Valtin</i>	F100
Determination of Na-K-ATPase activity in single segments of the mammalian nephron <i>A. Doucet, A. I. Katz, and F. Morel</i>	F105
Na-K-ATPase activity along the rabbit, rat, and mouse nephron <i>A. I. Katz, A. Doucet, and F. Morel</i>	F114
Action of adenosine on chloride active transport of isolated frog cornea <i>B. S. Spinowitz and J. A. Zadunaisky</i>	F121

Renal vascular resistance and reactivity in the spontaneously hypertensive rat <i>G. D. Fink and M. J. Brody</i>	F128
Corticoid effects of angiotensin- and norepinephrine-induced proteinuria in rats <i>J. W. Bauman, Jr.</i>	F133
Hormonal regulation of active chloride transport in the dogfish rectal gland <i>J. S. Stoff, R. Rosa, R. Hallac, P. Silva, and F. H. Epstein</i>	F138
Amphotericin B and K ⁺ transport across excised toad urinary bladder <i>J. T. Gatzky, L. Reuss, and A. L. Finn</i>	F145
Nonpressor mechanisms in CNS-induced natriuresis <i>D. R. Mouw, A. J. Vander, J. J. Bourgoignie, S. S. Kutschinski, and N. P. Mathias</i>	F157

No. 3. SEPTEMBER 1979

EDITORIAL REVIEW

Optical techniques for the evaluation of epithelial transport processes <i>K. R. Spring</i>	F167
<hr/>	
Resistance to the phosphaturic effect of parathyroid hormone in the hamster <i>C. A. Harris and J. F. Seely</i>	F175
Contribution of renal prostaglandins to the natriuretic action of bradykinin in the dog <i>M. C. Blasingham and A. Nasjletti</i>	F182
Regional renin release by the cat kidney in vitro and in vivo <i>S. M. Jones, J. Torretti, J. S. Williams, and S. F. Weinberger</i>	F188
Effects of lumen volume transit time and pressure on loop of Henle function <i>A. D. Baines, D. Basmadjian, and B.-C. Wang</i>	F196
Stop-flow pressure feedback responses during reduced renal vascular resistance in the dog <i>P. D. Bell and L. G. Navar</i>	F204
Transport and metabolism of octanoate by the perfused rat kidney <i>M. E. Trimble</i>	F210
Dissociation between plasma, urine, and renal papillary cyclic AMP content following vasopressin and DDAVP <i>M. J. Bia, S. Dewitt, and J. N. Forrest, Jr.</i>	F218
Effect of potassium deficiency on papillary plasma flow in the rat <i>M. A. Whinnery and R. T. Kunau, Jr.</i>	F226
Acute and chronic effects of vasopressin on blood pressure, electrolytes, and fluid volumes <i>M. J. Smith, Jr., A. W. Cowley, Jr., A. C. Guyton, and R. D. Manning, Jr.</i>	F232
Effect of fasting on tubular phosphorus reabsorption <i>N. Beck, S. K. Webster, and H. J. Reineck</i>	F241

No. 4. OCTOBER 1979

EDITORIAL REVIEW

Questions and replies: role of the collecting tubule in fluid, sodium, and potassium balance <i>R. L. Jamison, H. Sonnenberg, and J. H. Stein</i>	F247
<hr/>	
Denervated and intact kidney responses to saline load in awake and anesthetized dogs <i>J. Sadowski, J. Kurkus, and R. Gellert</i>	F262

Secretion of prostaglandin E ₂ by rabbit proximal tubules <i>J. M. Irish III</i>	F268
Net reabsorption of α -aminoisobutyric acid by rat kidney in vivo <i>R. R. McInnes and C. R. Sriver</i>	F274
Renin release from filtering and nonfiltering kidneys stimulated by PGI ₂ and PGD ₂ <i>A. A. Seymour, J. O. Davis, R. H. Freeman, J. M. DeForrest, B. P. Rowe, and G. M. Williams</i>	F285
<i>p</i> -Aminohippuric acid transport into brush border vesicles isolated from flounder kidney <i>J. Eveloff, R. Kinne, and W. B. Kinter</i>	F291
Slowly dialyzable stimulators of renal protein synthesis in urine <i>R. H. Harris and C. F. Best</i>	F299
Renal handling and utilization of citrate in starvation-induced hypocitricemia <i>A. J. Gold, M. Onwochei, and L. C. Costello</i>	F307
Intrarenal heterogeneity for fluid, phosphate, and glucose absorption in the rabbit <i>J. W. McKeown, P. C. Brazy, and V. W. Dennis</i>	F312
Transtubular leakage of glomerular filtrate in human acute renal failure <i>B. D. Myers, F. Chui, M. Hilberman, and A. S. Michaels</i>	F319
Erythrocyte velocity in vasa recta: effect of antidiuretic hormone and saline loading <i>G. L. Gussis, C. R. Robertson, and R. L. Jamison</i>	F326

No. 5. NOVEMBER 1979

EDITORIAL REVIEW

Anatomy of the juxtaglomerular apparatus <i>L. Barajas</i>	F333
<hr/>	
Stimulation of rabbit renal PGE ₂ biosynthesis by dietary sodium restriction <i>R. A. K. Stahl, A. A. Attallah, D. L. Bloch, and J. B. Lee</i>	F344
Isolation of rat kidney cortical tubules enriched in proximal and distal segments <i>D. W. Scholer and I. S. Edelman</i>	F350
Distribution of aldosterone receptors in rat kidney cortical tubules enriched in proximal and distal segments <i>D. W. Scholer, T. Mishina, and I. S. Edelman</i>	F360
Effect of sodium restriction on plasma renin activity and renin granules in rat kidney <i>S. Morimoto, R. Abe, A. Fukuhara, K. Tanaka, and K. Yamamoto</i>	F367
Inhibition of adenylate cyclase by general anesthetics in toad urinary bladder <i>S. D. Levine, H. Weber, and D. Schlondorff</i>	F372
Effects of kidney tubule obstruction on glomerular function in rats <i>G. A. Tanner</i>	F379
Acute reversal by saralasin of multiple intrarenal effects of angiotensin II <i>R. W. Steiner and R. C. Blantz</i>	F386
Hemodynamic and excretory response of the neonatal canine kidney to acute volume expansion <i>D. I. Goldsmith, A. Drukker, M. D. Blaufox, C. M. Edelmann, Jr., and A. Spitzer</i>	F392
Effect of acid-base status on renal excretion and accumulation of lead in dogs and rats <i>W. Victory, A. J. Vander, and D. R. Mouw</i>	F398
Renal handling of lead in dogs: stop-flow analysis <i>W. Victory, A. J. Vander, and D. R. Mouw</i>	F408

EDITORIAL REVIEW

Physiological basis for absorptive and renal hypercalciurias <i>C. Y. C. Pak</i>	F415
<hr/>	
Chronic blockade of angiotensin II formation during sodium deprivation <i>J. E. Hall, A. C. Guyton, M. J. Smith, Jr., and T. G. Coleman</i>	F424
Bradykinin-induced renal hemodynamic alterations: renin and prostaglandin relationships <i>W. Flamenbaum, J. Gagnon, and P. Ramwell</i>	F433
Influence of hypertonic saline on canine renal blood flow and renin release <i>J. G. Gerber, R. A. Branch, A. S. Nies, J. W. Hollifield, and J. F. Gerkens</i>	F441
Effect of acetazolamide on bicarbonate reabsorption in the proximal tubule of the rat <i>M. G. Cogan, D. A. Maddox, D. G. Warnock, E. T. Lin, and F. C. Rector, Jr.</i>	F447
Solvent drag component of Cl^- flux in superficial proximal straight tubules: evidence for a paracellular component of isotonic fluid absorption <i>T. E. Andreoli, J. A. Schafer, S. L. Troutman, and M. L. Watkins</i>	F455
Blockade of postocclusive renal vasoconstriction by an angiotensin II antagonist: evidence for an angiotensin-adenosine interaction <i>W. S. Spielman and H. Osswald</i>	F463
Indirect evidence for enhancement of Na-K-ATPase activity with stimulation of rectal gland secretion <i>P. Silva, J. Stoff, and F. H. Epstein</i>	F468
Volume expansion-induced alterations in proximal tubule chloride gradient in the rat <i>J. H. Galla and R. G. Luke</i>	F473
Renal autoregulation of blood flow and filtration rate in the rabbit <i>C. E. Ott and R. C. Vari</i>	F479
Influence of mucosal and serosal pH on antidiuretic action in frog urinary bladder <i>M. Parisi, J. Chevalier, and J. Bourguet</i>	F483
<hr/>	
<i>Subject Index to Volume 6</i>	F490
<i>Author Index to Volume 6</i>	F496

CORRIGENDA

Volume 235, December 1978
Volume 4, December 1978

Page F638: S. R. Thomas and D. C. Mikulecky. "A network thermodynamic model of salt and water flow across the kidney proximal tubule." *Page F640:* In equation 4, $(c_1^2 - 2c_1c_2 + c_2^2)$ should be $(c_2^2 - c_1^2)/2$. *Page 646:* In the program listing of Fig. 4 the line 00320 RJS3 1 6 2.457E4 should read instead 00320 RJS3 11 16 2.457E4.

